

Kurzweil 3000™ for Windows

Reference Guide

Version 12

Kurzweil 3000™ for Windows Reference Guide

© 2011 by Kurzweil Educational Systems, Inc., a Cambium Learning Company. Version 12 October 2011. Kurzweil Educational Systems is a registered trademark of, and Kurzweil 3000, LearnStation, License-to-Go, and KESI Virtual Printer are trademarks of Kurzweil Educational Systems, Inc.

Microsoft, Windows, Windows 2003, Windows Server 2008, Windows XP, Windows Vista and Windows 7 are registered trademarks of Microsoft Corporation in the United States and/or other countries.

Other product or brand names are trademarks or registered trademarks of their respective holders.

Component Acknowledgments:

The American Heritage® Dictionary of the English Language, Fourth Edition. Copyright © 2000 by Houghton Mifflin Company. Published by the Houghton Mifflin Company. No part of this database may be reproduced or otherwise used without prior written permission from the publisher unless such use is expressly permitted by applicable law.

Words are included in this Dictionary on the basis of their usage. Words that are known to have current trademark registration are shown with an initial capital and are also identified as trademarks. No investigation has been made of common-law trademark rights in any word. The inclusion of any word in this dictionary is not, however, an expression of the Publisher's opinion as to whether or not it is subject to proprietary rights, nor is it to be regarded as affecting the validity of any trademark.

American Heritage® is a registered trademark of Forbes Inc. Its use is pursuant to a license agreement with Forbes Inc.

The American Heritage® Children's Dictionary by the Editors of the American Heritage® Dictionaries. Copyright © 1998 by Houghton Mifflin Company. Published by the Houghton Mifflin Company. No part of this database may be reproduced or otherwise used without prior written permission from the publisher unless such use is expressly permitted by applicable law.

Roget's II: The New Thesaurus, Third Edition by the Editors of the American Heritage® Dictionaries. Copyright © 1995 by Houghton Mifflin Company. Published by Houghton Mifflin Company. No part of this database may be reproduced or otherwise used without prior written permission from the publisher unless such use is expressly permitted by applicable law.

No investigation has been made of common-law trademark rights in any word. Words that are known to have current trademark registration are shown with an initial capital and are also identified as trademarks. The inclusion or exclusion of any word, or its capitalization in this dictionary is not, however, an expression of the Publisher's opinion as to whether or not it is subject to proprietary rights, nor is it to be regarded as affecting the validity of any trademark.

Concise Oxford English Dictionary 11th edition ISBN 0198608640 © Oxford University Press 2004.

ETI-Eloquence™ and RealSpeak™ Copyright Nuance Communications, Inc. All Rights Reserved.

VoiceText™ is Copyright © 2002 and 2003 by NeoSpeech Software, Inc.

Homophones and confusables word lists from WordSpring™ software. © 2002 Lexia Institute.

Additional product components are licensed from ABBYY™; Bennet-Tec Information Systems, Inc.; Nuance Communications, Inc.; and Vantage Technologies.

MPEG Layer-3 audio coding technology licensed from Fraunhofer IIS and Thomson.

The Picture Communication Symbols samples © 1981-2004 Mayer-Johnson, Inc., Solata Beach, CA. USA. All rights reserved worldwide.

NIMAS Sample files created by the AIM and NIMAS Centers at CAST, Inc. with support from the Office of Special Education, US Department of Education.

Portions of Kurzweil 3000 Professional Edition Copyright Design Science, Inc., 1990-2010. All rights reserved. Unauthorized reproduction prohibited.

DESIGN SCIENCE, INC. EXPRESSLY DISCLAIMS ANY AND ALL WARRANTIES CONCERNING THIS SOFTWARE AND DOCUMENTATION, INCLUDING ANY WARRANTIES OF MERCHANTABILITY AND/OR FITNESS FOR ANY PARTICULAR PURPOSE, AND WARRANTIES OF PERFORMANCE, AND ANY WARRANTY THAT MIGHT OTHERWISE ARISE FROM COURSE OF DEALING OR USAGE OF TRADE. NO WARRANTY IS EITHER EXPRESS OR IMPLIED WITH RESPECT TO THE USE OF THE SOFTWARE OR DOCUMENTATION. Under no circumstances shall Design Science, Inc. be liable for incidental, special, indirect, direct or consequential damages or loss of profits, interruption of business, or related expenses which may arise from use of software or documentation, including but not limited to those resulting from defects in software and/or documentation, or loss or inaccuracy of data of any kind.



Cambium | **Technologies**
LEARNING®

24 Prime Park Way . Natick, MA 01760 . 800-547-6747 . 303-651-2829 . www.kurzweilededu.com

Table of Contents

About Kurzweil 3000	1
About this Guide	1
Starting and Stopping Kurzweil 3000	2
The Kurzweil 3000 Window 2.....	
Toolbars	3
The Default (Classic) Toolbars	3
Showing and Hiding Toolbars	4
Toolbars for Specific Sets of Tasks	4
Menus	4
Using the Keyboard to Access a Menu and Select a Menu Item	4
Help at Any Time	5
Opening and Viewing a Document	6
Kurzweil 3000 Supported File Formats	6
Additional Viewing Options from the View Menu	
Using the KESI Virtual Printer to Open Documents	
Created in Another Program	7
Navigating in a Document	8
Reading	9
Basic Reading	9
Options on the Reading Toolbar	9
Additional Reading Options	10
Using Reference Tools	11
Looking Up a Selected Word	11
Looking Up a Word You Type	11
Looking Up Information in Online Encyclopedias and	
Reference Sites	11
Finding a Picture for a Word	12
Translating Text	12
Reading Web Pages	12
Using Study Skills Tools	13
Showing the Study Skills Toolbar	13
Using the Color Highlighter Pens and Circle Tools	13

Table of Contents

Creating Notes	14
Working with Notes	14
Creating and Answering Questions in Bubble Notes	15
Opening, Hearing and Closing Notes	16
Adding and Working with Bookmarks	16
Extracting Notes and Highlights	16
Additional Annotation Options	17
Taking Notes with Column Notes	18
Opening, Saving, Replacing and Joining Column Notes Files ...	18
Additional Column Notes Features	20
Extracting Highlights to Column Notes	21
Using a Single Column Notes File Across Multiple Documents ..	22
Going from Reading to Writing By Extracting Column Notes	22
Working with Note Snippets	22
Adding and Editing Hyperlinks	23
Writing and Editing	24
Showing the Writing Toolbar	24
Starting Points for Writing	24
Working with More than One Language within a Document	25
Adding a Picture to a Document	25
Dragging and Dropping Image Text	25
Working with an External Text Editor	25
Editing Options from the Edit Menu	26
Additional Writing and Editing Options	26
Using Brainstorm	27
Creating a Brainstorm Diagram	27
Selecting and Editing Brainstorm Thoughts	28
Additional Brainstorm Features	28
Adding and Working with Brainstorm Notes	28
Switching from Brainstorm to Other Views	29
Creating a Draft from Brainstorm	29
Using Outline	30
Creating an Outline	30
Selecting and Editing Outline Text and Topics	31
Adding and Working with Outline Notes	32
Switching from Outline to Other Views	32
Creating a Draft from Outline	32
Creating and Working with Drafts	33
Creating a Draft	33

Switching from Draft to Other Views	33
Finalizing a Draft Using the Review Checklist	34
Using Writing Support Tools	35
Using Spell Check	35
Using Word Prediction	36
Using Word Lists	36
Using Floating Word Lists	37
Taking Tests Using Kurzweil 3000 Features	39
Managing Documents	40
Saving and Printing a Document	40
Locating Documents and Files	41
Sending a Document to a Recipient Through E-mail	41
Creating an Audio File	41
Additional File Options from the File Menu	41
Searching for and Downloading Electronic Content	42
Searching for E-Content from Web sites or Kurzweil 3000	
Classic Literature	42
Searching for Online Magazines	42
Opening and Managing Downloaded Files	42
Using the Universal Library to Share Documents	43
Customizing Kurzweil 3000	43
Showing, Hiding and Applying Toolbars	43
Customizing Toolbars	44
Customizing the Right Mouse Button Menu	44
Changing the Reading Dual Highlighting Color Options	44
Setting Options in Kurzweil 3000	45
Scanning	46
Basic Scanning	46
High-Speed Scanning	46
Scanning Options from the Scan Menu	46
Scanning Options from the Scanning Options Pane	47
Preparing Documents	49
Displaying the Document Preparation Toolbar Set	50
Changing Reading Order Using the Zone Editor	50
Using Override OCR to Convert Unrecognized Text into	
Readable Zones	51
Correcting Recognition Errors Using Edit Underlying Text	52
Correcting Pronunciations	54
Advanced Pronunciation Operations	55
Editing Headers and Footers	55

Table of Contents

Specifying New First Page or Front Matter	56
Cleaning Up Image Documents	56
Changing the Language Format of Image Text	56
Adding Instructional Notes and Bubble Notes	57
Preparing Tests	58
Customizing Tests	58
Setting Up Word Prediction	59
Setting Up Word Lists	60
Setting Up Kurzweil 3000 for Language Learning	61
Setting Up Picture Dictionaries	62
Setting Document Properties	63
Keyboard Shortcuts and Function Keys	65
Kurzweil 3000 System Default Settings	69
Using Kurzweil 3000 Applets	73
The Kurzweil 3000 Taskbar	73
The Kurzweil 3000 Calculator	74
Using Kurzweil 3000 Remotely	75
Working with a Network License-to-Go (Student)	75
Administration Tasks for Teachers	76
Setting Up the Universal Library for Sharing Documents	76
Adding and Deleting Users and User Files (Standalone)	76
Locating User Files	77
Obtaining Student Usage Reports (Standalone)	77
Managing Network User Accounts	78
Managing Network Licenses	79
Obtaining Student Usage Reports (Network)	80

About Kurzweil 3000

Kurzweil 3000 software program offers integrated features that promote and aid students in Reading, Studying, and Writing. Based on Universal Design for Learning principles, it provides users with multiple ways to access information and curriculum, and with tools to help them accomplish tasks independently, practice active learning skills, and demonstrate acquired knowledge.

For teachers, Kurzweil 3000 offers easy-to-use features that enable them to accommodate a wide range of student learning styles, to quickly respond to intervention requirements, and to follow standardized test taking guidelines.

Kurzweil 3000 is available in the following editions in either Professional (includes scanning) or LearnStation versions:

- Standalone is for the individual user or for a group of users sharing the same computer.
- Network, with Engine and Clients, is designed for using Kurzweil 3000 on PCs connected over a local area network. A Remote License-to-Go option allows students to check out Kurzweil 3000 for use on any PC for a specified amount of time.
- USB Edition is for portable use of Kurzweil 3000 on any computer that has a USB 2 port.
- Web License allows for the use of Kurzweil 3000 on any computer that has Internet connection.

About this Guide

This Reference is written for students as well as teacher/administrators, and provides information about the Kurzweil 3000 for Windows Version 12 user interface, common tasks, and important options in condensed format. Some functions, features, and procedures presented, such as scanning, apply only to the Kurzweil 3000 Professional product.

Where a feature is not available for a product, such as the USB Edition, it is noted in the guide.

For detailed information on all of Kurzweil 3000 features and functions, go to the Kurzweil 3000 online Help system.

Starting and Stopping Kurzweil 3000

To start Kurzweil 3000:



Kurzweil 3000 Double-click the Kurzweil 3000 icon on the desktop.


To stop Kurzweil 3000:

Do one of the following:

- From the **File** menu, choose **Exit**.
- Or click **Close**.
- Or press **ALT+F+X**.

The Kurzweil 3000 Window

Along the top of the Kurzweil 3000 window are the Main Menu bar and the Classic toolbar set:



A	Main Menu bar	Access all Kurzweil 3000 features and functions. Many Kurzweil 3000 features and functions, as well as menu items, also have keyboard shortcuts. See “Keyboard Shortcuts and Function Keys” on page 65.
B	Main toolbar	Access frequently used general functions.
C	Reading toolbar	Access frequently used Reading tools.
D	Study Skills toolbar	Access frequently used Study Skills tools. To show/hide toolbar, see “Showing and Hiding Toolbars” on page 4.
E	Writing toolbar	Access frequently use Writing tools, including those in the Writing Path. To show/hide toolbar, see “Showing and Hiding Toolbars” on page 4.

Notes:

- To show or hide a toolbar, see click the color brick at the left edge of the toolbar.
- If this is the first time you are opening the Kurzweil 3000 window, you will see a Tip of the Day window. To hide Tip of the Day, go to the Tools menu, select Options and in the General pane Miscellaneous are, uncheck Tip of the Day.

Toolbars

The Default (Classic) Toolbars


There are four default toolbars (also known as the Classic Toolbar set) in Kurzweil 3000 that let you point and click on buttons to perform frequently used functions.

If this is the first time you are starting Kurzweil 3000 after installing a new version, you will see newly released buttons at the end of a toolbar. To use the toolbar set associated with the new version, **Apply the Classic Toolbar**; see “To apply a toolbar set:” on page 4.

All Kurzweil 3000 toolbars are customizable; see “Customizing Toolbars” on page 44.

The Main Toolbar

(With a document open.)



For more information about using:

- **Reading Tools**, see “Reading” on page 9.
- **Reference Tools**, see “Using Reference Tools” on page 11.
- **Document Management Tools**, see “Managing Documents” on page 40.
- **Scanning**, see page 46.


The Reading Toolbar

(With a document open.)




The Study Skills Toolbar

(With an image document open.)



The Writing Toolbar

(With a Draft/text document open.)



Showing and Hiding Toolbars

Each toolbar has a show/hide *Toggle* (color bar) located along the left-hand side of the toolbar. Click the Toggle to show or hide the toolbar. When the toolbar is showing, the Toggle is in the vertical position; when the toolbar is hidden, the Toggle is in the horizontal position.

Keyboard Shortcuts for Showing and Hiding Toolbars	
Show/hide Main toolbar	CTRL+SHIFT+F9
Show/hide Reading toolbar	CTRL+SHIFT+F10
Show/hide Study Skills toolbar	CTRL+SHIFT+F11
Show/hide Writing toolbar	CTRL+SHIFT+F12


Toolbars for Specific Sets of Tasks

There are ready-to-use toolbars containing the tools you need to perform a specific set of tasks, such as Document Preparation, Language Learning and Test Taking.

Note: Classic is the default toolbar set.

To apply a toolbar set:

Either go to the **Tools** menu, choose **Customize Apply Toolbar Set**, then select a toolbar; Or open the **Toolbar** Right Mouse Button menu, choose **Apply Toolbar Set**, then select a toolbar.



0 Classic
1 Basic
2 Content Reading
3 Document Preparation
4 Fluency Training
5 Language Learning
6 Pleasure Reading
7 Proofreading
8 Research
9 Study Skills Training
10 Test Preparation
11 Test Taking
12 Vocabulary Building
13 Writing Path

Menus

For mouse users, menus in Kurzweil 3000 are located along the top of the application window. In many instances, Right Mouse Button menus are available by pressing the right mouse button.

Keyboard users can use the following procedure for quick access to menu items, and where available, Kurzweil 3000 offers keyboard shortcuts for performing actions.

Using the Keyboard to Access a Menu and Select a Menu Item

1. Press the **ALT** key, then press the desired menu letter key. For instance, to open the **File** menu, press **ALT+F**.
2. Press the letter key for the menu item you want. For example, in the **File** menu, press **C** to **Close** a file.
3. You can use the **Up/Down** arrow keys to navigate the menu items; use the **Right** arrow key to go to a submenu, and use the **Left** arrow key to go back to a menu item from its submenu. To activate the menu item you want, press **ENTER**.

Note: some menu items open dialog boxes. Use **TAB** and **SHIFT+TAB** to navigate through the items in the dialog. Use the **ENTER** key for **OK** and the **ESC** key to cancel.

To close a menu without making a selection, press **ESC**.

Help at Any Time


To access Kurzweil 3000 comprehensive online Help pages:

Click the **Help** icon on the **Main** toolbar or press the **F1** key.

In dialog boxes, click the **Help** button.

To search Help pages:

Type the search text in the **Search text box** and click **Search**.



Or click **Index** and then the first letter of your desired topic.

To view How To video clips:

Go to the **Help** menu and select **How To**, then double-click the desired topic from the menu.

To find product documentation in PDF:

Open the **Documentation** folder on the product DVD or go to the Documentation Downloads page at www.kurzweiledu.com.

Opening and Viewing a Document

You can work with virtually any kind of document in Kurzweil 3000: **image** documents that you scan into Kurzweil 3000, documents that you open from another application or open using the KESI Virtual Printer, and **text** documents.

Note: In the USB Edition, the KESI Virtual Printer requires a separate install.

Kurzweil 3000 Supported File Formats

Kurzweil 3000 allows you to open the following file formats:

- Kurzweil 3000 and Kurzweil 1000 (.KES) text and image
- Text File (.TXT)
- Rich Text Format (.RTF)
- Microsoft Word files (.DOC)
- Microsoft Office 2007 (.DOCX)
- Image Files (.TIF, .BMP, .JPG)
- Portable Document Format (.PDF)
- DAISY (.OPF)
- NIMAS (.OPF)

PDF Notes:

- You must select an OCR engine that supports PDF to open PDF files directly in Kurzweil 3000.
- Also, you can specify page range to recognize, start and stop recognition, and interrupt and resume recognition at a later time by saving the PDF file in KES format and reopening it.
- Kurzweil 3000 preserves bookmarks if they exist in the original PDF file.

DAISY Notes:

- Kurzweil 3000 retains DAISY bookmarks in the Bookmarks dialog.
- In Kurzweil 3000, DAISY 2.02 documents provide text and navigation, however, you cannot read them. You can save any file to audio DAISY 2. DAISY 3 documents provide text and navigation and are readable. You can save any file to DAISY 3.

NIMAS Note: When opening NIMAS .opf files, Kurzweil 3000 uses a converter which saves them as .KES files that you can then read. You will see a separate dialog for indicating input/output files and locations along with several options.

To open a document: Click the **Open** button in the **Main** toolbar. In the **Open** dialog, navigate to and open the desired file.

To view multiple documents at once: From the **Windows** menu, select one of the following: **Cascade**, **Tile Horizontally** or **Tile Vertically**.

Additional Viewing Options from the View Menu

Fit To	Specify how an image file is displayed in the document area.
Rotate	Rotate an image file 90° left or right, or turn it upside down.
Thumbnails	Display a thumbnail of the current page at the right side of the document area, or display the entire document as thumbnails in various sizes.
Page View	Set to Remember the page fit and zoom level selections for an image document. Save the document with the page view settings before closing it.
Annotations	Display or hide Notes, including Bubble Notes, Voice Notes, Highlighting, and Bookmarks in image documents.
Magnify Spoken Word	Display the current word in a separate magnifier window.

Using the KESI Virtual Printer to Open Documents Created in Another Program

Note: In the USB Edition, the KESI Virtual Printer requires a separate install.

To use the KESI Virtual Printer for file formats not supported by Kurzweil 3000, you must:



- Have Kurzweil 3000 Professional Edition.
- Have the application that can open the file and that application must have the Print function.
- Have the latest version of Adobe Acrobat Reader.

To open other file formats using the KESI Virtual Printer:

1. Open the program that was used to create the document you want to open.
2. Open the document.
3. In the program's **Print Setup** or **Print** dialog, select **KESI Virtual Printer**.
4. Choose **Print**. Kurzweil 3000 launches and displays the image document.

To reproduce a document in color when using the KESI Virtual Printer (Kurzweil 3000 Professional Color only): In the **Print Setup** or **Print** dialog, select **Color**.








Navigating in a Document

Use the Page buttons in the Reading toolbar to go to a page	<p>Click the Page box, and type the page number you want to go to.</p>  <p>Or click the Up/Down arrow to move page by page.</p>
Use the Thumbnail buttons in the Reading toolbar to scroll in a document or to go to a page	<p>Click the Page Thumbnail button (left) to display the page navigation arrows. Click the desired arrows to move in its direction.</p>  <p>Or click the Document Thumbnail button (right) to display thumbnail views of the pages in the document. Click the thumbnail of the page you want to go to.</p>
Use the View menu to go to specific pages	<p>From the Page submenu, select a specific page, First, Last, Next, Previous. Or choose Go To and type the page number.</p>
Use keyboard keys to go to the Next, Previous or specified	<p>Next page: press CTRL+E. Previous page: press CTRL+ R. Go to page: press CTRL+G.</p>
Use Bookmarks	<p>Create Bookmarks, then use Go to Bookmark. See “Adding and Working with Bookmarks” on page 16.</p>

Reading

Basic Reading

Click inside an open document, then in the **Main** toolbar, click:

	to Start Reading .
	to Pause Reading .
 then 	to Read previous reading unit .
 then 	to Read next reading unit .
	to switch between Reading audibly or silently .

As Kurzweil 3000 reads, it uses “dual highlighting,” one color for highlighting the current word and the other color for highlighting the current reading unit.

Note: You can change the dual highlighting colors in the **Tools Options** dialog, under the **Text** pane. See “Changing the Reading Dual Highlighting Color Options” on page 44.

Options on the Reading Toolbar



	A	B	C	D	E	F	G	H
A	Reading Voice	Specify the voice you want. (In the USB Edition, the voices are limited to the ones on the USB.)						
B	Reading Mode	Specify how you want Kurzweil 3000 to read.						
C	Reading Unit	Specify how much text to highlight as Kurzweil 3000 is reading.						
D	Reading Speed	Specify the speed with which you want to read.						
E	Zoom Level	Enlarge or reduce the view.						
F	Page	Go forward/backward a page or specify the page number to go to.						
G	Page Thumbnail	Show page thumbnail and use the arrows to move to sections on the page.						
H	Thumbnail View	Show all page thumbnails in the document. Click the thumbnail of the page you want to go to.						

Note: These settings are also available from the **Read** menu, or the **View** menu in the case of Zoom, Page and Thumbnails.








Additional Reading Options

From the View menu:	
Magnify Spoken Word	Display the current word being read in a separate magnifier window.
From the Reading Options pane (see “Setting Options in Kurzweil 3000” on page 45):	
Language list	Select other reading languages.
Speaker list	Change reading voices. (In the USB Edition, the voices are limited to the ones on the USB.)
Pause at Empty Notes	Use in conjunction with Text Notes in Fill in the Blanks tests.
Highlight Spoken Word	Highlight or not highlight words as Kurzweil 3000 reads.
From the Text/Image Options pane (see “Setting Options in Kurzweil 3000” on page 45):	
Change highlight colors	For text documents, click the Text icon to open the Text Options pane, and select the desired color combination from the Reading Colors list. For image documents, click the Image icon to open the Image Options pane, and select the desired colors from the Word and Unit Colors lists.

Using Reference Tools

Looking Up a Selected Word

Select a word in a document; next, click the desired reference tool button on the **Main** toolbar:

	to Translate text from one language to another. Also on the Online menu. You must have Internet connection to use this feature.
	to see a Picture for a word. Also on the Reference menu.
	to look up a word's Definition . Also on the Reference menu.
	to find one or more Synonym . Also on the Reference menu.
	to hear a human Pronounce a word. Also on the Reference menu as Human Pronunciation .
	to see and hear a word's Syllables . Also on the Reference menu.
	to hear a word Spelled aloud. Also on the Reference menu.


Looking Up a Word You Type

From the **Reference** menu, choose **Look Up Word I Type**, type the word, then click the desired reference tool button on the **Main** toolbar or use the **Reference** menu.

Looking Up Information in Online Encyclopedias and Reference Sites

You must have Internet connection to look up information from online reference sites.

1. Select a word or phrase.
2. From the **Online** menu, select **Online Reference Lookup**.
3. In the **Online Reference Lookup** dialog, select a **Search Site** from the list, then click **Search**:



Finding a Picture for a Word

Kurzweil 3000 comes with the K3000 Picture Dictionary, a library of over 1300 illustrations and photos, but it also supports other picture dictionaries such as Mayer-Johnson PCS dictionary and Vcom3D American Sign Language (ASL) animated GIF picture dictionary that you can set up. See “Setting Up Picture Dictionaries” on page 62.

Translating Text

The Translate feature, with over half a dozen languages, lets you translate text on demand.



1. Click the **Translate** button in the **Main** toolbar to open the **Translation** dialog. If you selected text, it would appear in the left pane.
2. From the **To** list, select the language you want to translate the text to.
3. Click **Translate**. The translated text appears in the right pane.
4. Click **Read** to read the translated text; **Open as a Document** to place the translation in a new document.

Reading Web Pages

The **Read the Web** feature lets you read Web sites using Kurzweil 3000 and one of two browsers: Internet Explorer (7 or 8), or Mozilla Firefox. While reading the Web, you have access to Kurzweil 3000 reading and reference tools. If you want to use Mozilla Firefox, see online Help or the Installation Guide, (for USB Edition, see the *USB Edition Setup* guide) for installation instructions.


Kurzweil 3000 includes Design Science MathPlayer™ to support Mathematical Mark Up Language (MathML). When using Read the Web in Internet Explorer you can read Mathematical notation.

Note: In the USB Edition, the MathPlayer requires a separate installation.

To read Web site content:



1. Click the **Read the Web** button in the **Main** toolbar, or from the **Read** menu, select **Read the Web**.
The Web browser opens and connects to your home page. In Internet Explorer, the Kurzweil 3000 **Read the Web** toolbar appears at the bottom of the browser. In Firefox, the **Read the Web** toolbar appears below the browser toolbars.
2. Click the **Read** button to begin reading.
3. Look up a word by selecting it, then clicking the desired Look Up button in the toolbar. Change **Reading Mode**, **Read By Unit**, and **WPM Reading Speed**.

Magnify the current word by clicking the  button. (Internet Explorer only.)

To read Math and Science notation in Internet Explorer:

Be sure you have Read the Web enabled and you are using Internet Explorer.

Left-click the notation. Kurzweil 3000 reads the notation. At any time, you can click again to re-read it or click elsewhere to stop reading it.

A Right Mouse Button menu is also available and includes **Zoom** and **Copy**.

Using Study Skills Tools

Showing the Study Skills Toolbar

To work with Study Skills Tools, Show the Study Skills toolbar by clicking the Green Toggle along the left edge of the Toolbar.



- Erase color highlighting
- Color Highlighters
- Annotation Tools, from left to right:
 - Add Footnote, Sticky Note, Text Note
 - Close Footnote
 - Add Voice Note
 - Add Hyperlink
 - Delete
 - Add Bookmark
 - Open Column Notes
- Note Snippets
Floating Word Lists
(only in text documents)

Note: In Kurzweil 3000, the term “annotations” is used to encompass most of the Study Skill tools.

Using the Color Highlighter Pens and Circle Tools

To:	Do the following:
Highlight or circle text	Select the text to highlight or circle, then click the desired color Highlighter pen or Circle tool in the Study Skills toolbar. Or click the color Highlighter or Circle tool first then select the text.
Erase highlights or circles	Select the text that has color highlighting or circling, then click the Eraser in the Study Skills toolbar. Or click the Eraser first then select the highlighted or circled text.
Find highlighted or circled text	Open the Edit menu, select Object from the Find submenu. In the Find Object dialog, select Highlight . Click Find .

Creating Notes

To:	Do the following:
Create a Sticky or Text Note	Sticky and Text Notes are available only in image documents. Click the Sticky Note or Text Note button in the Study Skills toolbar. Click in the text where you want to place the note. Type in the note, click outside the note when you are finished.
Create a Footnote	Click in the document where you want to place the Footnote marker. Click the Footnote button in the Study Skills toolbar. In an image document, a number marker appears in the note location and the Footnote window opens. In a text document, the text closest to the note changes to blue underlined text and a number appears next to the note. Type in the Footnote window. When you are finished, click the Close Footnote button in the Study Skills toolbar.
Create a Voice Note	Click the Voice Note button in the Study Skills toolbar. Click in the document where you want to place the Voice Note. (In a text document, click in front of the word where you want to place the note.) In the Voice Note window, click Record (microphone), then begin recording. Click Stop when you are done. To attach a pre-recorded WAV file, click Open . Navigate to the file and click Open again.

Working with Notes

To:	Do the following:
Move a Sticky or Text Note using the mouse	Point to the border of the note to see a four-pointed compass. With the compass cursor showing, click and drag the note to a new location.
Move a Sticky or Text Note using the keyboard	TAB to the desired note. Press the Menu key to display the Note Right Mouse Button menu. Press the Down Arrow until Move Note is highlighted, then press ENTER to select. Use the Arrow keys to reposition the note. If you need to cancel, press ESC key.
Move a Footnote marker	Works in image documents only. Click and hold on the Footnote marker, then slowly drag it to its new location on the same page.
Resize a Sticky or Text Note using the mouse	Point to the right-hand border of the note to see a two-pointed, left-right arrow cursor. With the cursor showing, click and drag the note to a new size.
Resize a Sticky or Text Note using the keyboard	TAB to the desired note. Press the Menu key to display the Note Right Mouse Button menu. Press the Down Arrow until Resize Note is highlighted, then press ENTER to select. Use the Arrow keys to reposition the note. If you need to cancel, press ESC key.

Edit Sticky or Text Notes or Footnotes	You can cut, copy, drag and drop, and paste text between documents and Notes. Click inside a Sticky or Text Note, or double-click on the Footnote marker to open the Note. Edit the text; word processing functions work in Notes. When finished, click outside the Sticky or Text Note. For a Footnote, click the Close button on the toolbar or press ESC .
Switch between a Sticky and a Text Note	Click the right mouse button in a Sticky or Text Note to open the Note menu. Select Sticky Note or Text Note .
Find Notes	Open the Edit menu, select Object from the Find submenu. In the Find Object dialog, select the type of Note you are looking for. Click Find .
Delete a Note	Click on the Note, Note marker or Note anchor. Click the Delete button in the Study Skills toolbar. Click Yes to confirm.
Remove multiple Notes from an image document	Applies to Sticky, Text and Voice Notes. From the Edit menu, select Image Selector . Click and drag the crosshair cursor to draw a box completely enclosing all of the Notes you want to remove. Press the Delete key. Click Yes to confirm.

Creating and Answering Questions in Bubble Notes

To create a Bubble Note:

1. Click a location in the text where you want to place the Note.
2. From the **Tools** menu, click **Notes**, then choose **Add Bubble Note**.
3. In the **Bubble Note** dialog, type your note in the text area. Click **OK**.

To edit a Bubble Note:

Select the **Bubble Note** marker, right-click to open the Right Mouse Button menu, or from the **Tools Note** submenu, choose **Edit Bubble Note**.

To select or type in answers:

For Multiple Choice Radio Buttons	Click in the circle.
For Multiple Choice Check Boxes	Click in the box.
For Matching Answers	In the left-hand column click the item you want. A line appears. Drag the line to the correct answer in the right-hand column.
For Text Answers	Click inside the text box, then type.

Opening, Hearing and Closing Notes

Text or Sticky Note	Click inside the note, then click the Read button. To close, click outside the Note.
Footnote	Double-click its anchor; Kurzweil 3000 automatically reads. To close, click the Close button in the Footnote window. You can set up Footnotes to automatically read upon opening, the option must be selected in the Reading Options. See “Setting Options in Kurzweil 3000” on page 45.
Bubble Note	Double-click its purple question mark anchor (image document) or purple underlined text (text document). Kurzweil 3000 automatically reads. To close, click OK .
Voice Note	Double-click its anchor, Kurzweil 3000 automatically reads. To close, click OK .

Adding and Working with Bookmarks

To:	Do the following:
Open the Bookmark dialog	Click the Bookmark button in the Study Skills toolbar.
Add a Bookmark	Click in the document where you want to place the bookmark. Open the Bookmark dialog, type the description, then click Add .
Sort Bookmarks	Open the Bookmark dialog, click to sort by Alphabetic or Reading order.
Go to a Bookmark	Open the Bookmark dialog, click on the description of the Bookmark that you want to go to, then click Go To .
Delete a Bookmark	Open the Bookmark dialog, click on the desired description Bookmark, then click Delete .
Search for Bookmarks:	From the Edit menu, select Object from the Find submenu. In the Find Object dialog, select Bookmark , then click Find .

Extracting Notes and Highlights

The Extract Notes and Highlights feature allows you to pull out highlighted or circled text, and contents of Notes and Bookmarks into a new text document.

Notes:

- You can opt to extract all or any combination of notes and highlights.
- Outline Styles allow you to extract highlighted text into outline format. Highlighted text can also be extracted to Column Notes; for more information, go to “Extracting Highlights to Column Notes” on page 21.

To extract notes and/or highlights:

1. With the document containing the annotations you want to extract open, go to the **File** menu, choose **Extract**. From the **Extract** submenu, select **Notes and Highlights**.
2. In the dialog, select the notes and/or highlights you want to extract.
For Notes, specify the Note types you want: **Footnotes**, **Bubble**, **Sticky** or **Text Notes**.
For Bookmarks, select **Bookmarks**.
For Highlights, select **Highlights**.
3. Select an **Outline Style**: **Numeric**, **Legal**, **Bullets**, **Roman Numerals**, **Alpha Numerals**, **No Prefix**, or **Custom**.
4. Click **OK**.

Additional Annotation Options


<p>Show or Hide Annotations.</p>	<p>In the document, open the View menu, select Annotations, then from its submenu, click the annotation type to show or hide.</p>
<p>Print highlighted or circled text.</p>	<p>In the document, open the File menu and choose Print. In the Print dialog, click Highlighted Text. Click Highlight Setup to open the Print Highlighted Text dialog. In the Print Highlighted Text dialog, deselect the check box of any color highlight or circle you do not want to print. Select Insert Blank Lines when Extracting Highlights. Click OK to return to the Print dialog. Click Print.</p>
<p>Change the captions for the different color highlighters.</p>	<p>From the Tools menu, open the Options dialog. Click Highlighters from the list of Options panes. In the Highlighters Options pane, edit captions, then click OK.</p>
<p>Change Font properties, Reading order and other options for Sticky and/or Text Notes.</p>	<p>For the current document: From the File menu, open the Properties dialog. Make the changes you want, then click OK. For all default Sticky and Text Notes: From the Tools menu, select Notes, then from its submenu select Default Note Options. Make the changes you want, then click OK.</p>
<p>Set up Footnotes to automatically read upon opening.</p>	<p>From the Tools menu, open the Options dialog. Click Reading from the list of Options panes. In the Reading Options pane, select Read Footnotes when Opened, then click OK.</p>
<p>Set up for Kurzweil 3000 to pause at each Bookmark.</p>	<p>From the Tools menu, open the Options dialog. Click Reading from the list of Options panes. In the Reading Options pane, select Pause at Bookmarks, then click OK.</p>

Taking Notes with Column Notes

Based on the Cornell note taking system, Kurzweil 3000 Column Notes is ideal for:

- Taking notes while reading and doing research across documents.
- Taking in-class and lecture notes.
- Reviewing or studying notes.
- Writing: go directly to the Outline feature by using **Extract Column Notes to Outline** from the **File** menu.
- Vocabulary building: place words in Column 1, definitions in Column 2, and create sentences in Column 3.

The default Column Notes file opens at the bottom of the Kurzweil 3000 document window and contains a table with three columns.



The first column is for “Main Ideas,” key words or even questions. The second column is for the details that support each main idea, and the third is for additional thoughts or source information. You can:

- Cover the second column as a way to hide details as you study.
- Hide the third column to make it easier to view and work in two-column mode.

Column Notes files are independent of documents, with its own file extension, .k3c, allowing you to gather and work with one set of notes across multiple documents.

While in Column Notes, you can use:

- Editing features including Undo, Cut/Copy/Paste, Word Prediction and Spell Check.
- All Reading functions including Word lookup and Speak While Typing.

In addition, you can use Color Highlighters or Circles to note important text in a document, then **Extract Highlights to Column Notes** for an easy way to collect your notes. See “Extracting Highlights to Column Notes” on page 21.

Opening, Saving, Replacing and Joining Column Notes Files

Column Notes files are separate files and independent of any document. They have the file extension, .K3C.

To open a New Column Notes file (with/without a document open), do one of the following: Click the **Column Notes** button in the **Study Skills** toolbar, and choose **Open a New Notes File**. Or from the **Tools** or **File** menu, select **Column Notes**, then choose **New Column Notes**.

To open an existing Column Notes file (with/without a document open) do one of the following:

- Click the **Column Notes** button, then choose **Open an Existing Notes File**.
- From the **Tools** menu, select **Column Notes**, then choose **Open Column Notes**.
- Click the **Open** button.
- From the **File** menu, choose **Open**.

In the **File Open** dialog, find and select the Column Notes file you want.

To Save or Replace Column Notes file:

Column Notes are separate files from regular documents, and must be saved separately. When using any of the Save features, first click inside the Column Notes window to ensure that it is the active window, then do one of the following; otherwise, Kurzweil 3000 will save the main document that is in the window.

To:	For new Notes file from Blank:	For Existing Notes file:
Save: Click Save button. Or choose Save Column Notes from Tools Column Notes submenu. Or choose File Save .	Opens Save As dialog. Name the new file.	Saves changes to the current file.
Save As: Choose Save Column Notes As from Tools Column Notes submenu. Or choose File Save As .	See above.	Opens Save As dialog. enter the name for the new file.
Replace: Choose Save Column Notes As from Tools Column Notes submenu. Or choose File Save As .	Opens the Save As dialog. 1. In the Save As dialog, find and select the name of the Column Notes file you want to replace with the new notes, then click Save . 2. In the next Save dialog, click Yes .	Opens the Save As dialog. 1. In the Save As dialog, find and select the name of the Column Notes file you want to replace with the new notes, then click Save . 2. In the next Save dialog, click Yes .
Close: Click Close button either for document or for Column Notes window.	A message asks if you want to save. Answering Yes opens the Save As dialog. See any of the above.	A message asks if you want to save. Answering Yes opens the Save As dialog. See any of the above.

To Join Column Notes files:


As you take notes across different documents and sources, you can combine different Column Notes files into one file. When you join two files, Kurzweil 3000 appends the notes in the open Column Notes to a selected Result File.


1. Open a Column Notes file that you want to append to another Column Notes file.
2. Click inside the Column Notes window to activate it.
3. Do one of the following:
 - From the **Tools** menu, select **Column Notes**, then choose **Join Column Notes**.
 - From the **File** menu, choose **Join**.
4. In the **Join Column Notes** dialog, **Browse** for and select the name of the **Column Notes** file to which you want to append the open Notes. The file name appears in the Result File box.
5. Click **Join**.

Additional Column Notes Features

To:	Do the following:
Move around in Column Notes	Up or Down Arrow key moves the cursor up or down a cell in a column. TAB or Right Arrow key moves the cursor to next/right cell. SHIFT+TAB or Left Arrow key moves the cursor back/left cell.
Enter and edit text	Click in a cell and type and edit. Cut/Paste or drag and drop text into a cell. Copy/Paste or press CONTROL key while dragging and dropping text. CTRL+Z to Undo changes (does not affect column and window resize).
Show or hide third column	Open the Column Notes Right Mouse Button menu. Choose Hide/Show 3rd Column .
Cover second column	Open the Column Notes Right Mouse Button menu. Choose Cover/Show 2nd Column .
Resize column width	Hover on the inside bolded border of the column until the pointer appears as a horizontal arrow, then drag (right/left) and release at the desired width.
Resize Column Notes window	Hover at the top of the Column Notes window until the pointer appears as a vertical arrow, then drag (up/down) and release at the desired height.
Print Column Notes	Click inside the Column Notes window, then from the File or Right Mouse Button menu, choose Print . (Contents in Covered 2nd columns and Hidden 3rd columns do not print.)
Zoom, Edit Headers, Insert/Delete Rows	Open the Column Notes Right Mouse Button menu, then choose the option you want.
Bring notes into Outline in the Writing Path	Open the Column Notes Right Mouse Button menu. Choose Extract to Outline .
Copy Column Notes to Word	Open the Column Notes Right Mouse Button menu. Choose Copy to Clipboard for use in MS Word .
Copy Column Notes to Excel	Open the Column Notes Right Mouse Button menu. Choose Copy to Clipboard for use in MS Excel .

Extracting Highlights to Column Notes

1. In a document, use the **Color Highlighter** tools from the **Study Skills** toolbar or from the **Tools** menu to highlight the different types and levels of information you want to collect. For instance, Yellow highlighter for main ideas, Green for sub-ideas, and Blue for details. See “Using the Color Highlighter Pens and Circle Tools” on page 13.
2. Click the **Column Notes** button  or select **Column Notes** from the **Tools** menu.
3. In the **Open Column Notes** dialog, select either to create a **Blank Column Notes** file or to open an **Existing Column Notes** file.
4. From the **File** menu, choose **Extract Highlights to Column Notes**.
5. Specify the column number to which you want the text of a particular color highlight to fill: Column 1, 2 or 3. Other numbers are not valid.



6. Click **OK**.
Kurzweil 3000 fills the Column Notes cells according to reading order and to the column numbers you specified.
7. **Save** the Column Notes file.
If you do not want the currently highlighted text to be extracted the next time you use Extract Highlights to Column Notes, Erase the highlights and Save the document.

Using a Single Column Notes File Across Multiple Documents

Use this method to take notes across different documents or chapters in a book.

1. Open the Column Notes file to which you want to place the information. (If the file doesn't already exist, create it.)
2. Open the document from which you want to collect information.
3. Take your notes from this document by typing, Extracting highlighted text, Copying/Pasting and/or dragging/dropping into the Column Notes file.
4. Save the Column Notes file. (You also may close the Column Notes file at any time.)
5. Close (and Save) the current document.
6. Repeat until you have finished your research.
7. If you are going on to write a draft, use **Extract Column Notes to Outline** as a starting point. See "Going from Reading to Writing By Extracting Column Notes" on page 22.

Going from Reading to Writing By Extracting Column Notes

Extract Column Notes to Outline, accessible from the File and the Column Notes Right Mouse Button menus, enables you to bring your notes from your research and reading directly into the Writing Path. To work with the Outline feature, see "Using Outline" on page 30.

1. Take notes using **Column Notes**. Consider using Extract Highlights to Column Notes. (See "Extracting Highlights to Column Notes" on page 21.)
2. Either open the **File** or the **Column Notes Right Mouse Button** menu
3. Choose **Extract Column Notes to Outline**.
The notes appear in Outline mode.

Working with Note Snippets

A Note Snippet is a floating window that displays the contents of a Column Notes file in read-only mode, and in hierarchical format. Note Snippets are only available when a text document is open, and are not available in or Outline. The Note Snippets window is a handy companion when you are writing in Kurzweil 3000 as it keeps main ideas and notes accessible. You can easily Copy/Paste or drag and drop text from the Note Snippets window.

To open Column Notes in Note Snippets:

1. Open a text document - using the **New** button is fine.



2. Click the **Note Snippets** button in the toolbar or from the **Tools** menu, select **Note Snippets**.
3. In the **Open Note Snippet** dialog, select the name of the **Column Notes** file you want to display, then click **Open**.

To view sub-ideas in the Note Snippet window:

If a Main Idea has sub-ideas and other details, you can:

Show them by clicking the + (plus) sign.

Hide them by clicking the – (minus) sign.

Or by double-clicking on the line of text.

Adding and Editing Hyperlinks

Hyperlinks are handy for keeping references near related topics. When you are studying or writing, you can go back to source material and information. For writing assignments, embedding hyperlinks to source or related information can help your reader understand the material. Kurzweil 3000 provides three types of hyperlinks: Web Page, File and Link within this document.

In text documents, the hyperlinked text is underlined and in blue. In image documents, the hyperlinked text is underlined.


To:	Do the following:
Open the Add/Edit Hyperlinks dialog.	From the Tools menu. By clicking the Hyperlink button in the Study Skills Toolbar. By opening the Right Mouse Button menu in a document.
Add a hyperlink to a Web page.	If you want to copy the Web page address, copy it from the Web browser. Open the Kurzweil 3000 document in which you want to add the hyperlink. Click where you want to place the hyperlink. Open the Add/Edit Hyperlink dialog. The Description box should contain the text in the document closest to the location of the cursor where the hyperlink is to be placed. Select the Web Page option (the default). In the Link To box, type or paste the Web page address. Click Add .
Add a hyperlink to a file.	Click where you want to place the hyperlink in the document. Open the Add/Edit Hyperlink dialog. The Description box should contain the text in the document closest to the location of the cursor where the hyperlink is to be placed. Select the File option. A Browse button appears next to the Link To box. Click Browse , navigate to and select the file you want to link to. The file pathname should appear in the Link To box. Click Add .
Add a hyperlink within the same document. This option is not available when adding a hyperlink in Footnotes.	In the document, go to the location where you want to link to, and click. Add a bookmark: from the Right Mouse Button menu choose Add Bookmark or press CTRL+F12 . Specify a Bookmark description. In the same document, go to and click where you want to place the hyperlink. Open the Add/Edit Hyperlink dialog. The Description box should contain the text in the document closest to the location of the cursor where the hyperlink is to be placed. Select the Link within this document option. A Locate button appears next to the Link To box. Click Locate , select the Bookmark description you want to link to. Click Add .
Undo.	CTRL+Z.
Edit a hyperlink.	Click the hyperlink text or marker, open the Right Mouse Button menu, then choose Add/Edit Hyperlink . Make the change(s) you want and click Modify .
Save in KES format.	You may lose the hyperlinks if you save the document in other formats.

Writing and Editing





Kurzweil 3000 editing writing and editing features follow the majority of standard word processing functions, such as CTRL+X for Cut, CTRL+V for Paste, double-click to select a word, triple-click to select a sentence.

Showing the Writing Toolbar

When working with a text document, **Show** the **Writing** toolbar for easy access to frequently used text editing and formatting tools. See page 43.



Starting Points for Writing

<p>Start Writing.</p> 	<p>In the Writing toolbar, click the Start Writing button.</p>
<p>Create new text/Draft document.</p> 	<p>Do one of the following: In the Main toolbar, click the New button. From Start Writing, select New Draft Blank. From the Write menu or File menu, select New Draft Blank. Begin writing.</p>
<p>Create new document from Template.</p>	<p>From Start Writing or from the Write menu, select: New from Template. Or New Outline from Template. Or New Draft from Template. Begin writing by replacing the instructions with your own text. For details, see: Working with diagrams, “Creating a Diagram” on page 27. Working with Outline documents, “Creating an Outline” on page 30. Working with Draft documents, “Creating a Draft” on page 33.</p>
<p>Start new diagram.</p> 	<p>From Start Writing, the Write menu or the File menu, select New Blank. Begin writing from a diagram by clicking the Split Screen button, and writing in the right-hand Draft pane.</p>
<p>Start new Outline document.</p> 	<p>From Start Writing, the Write menu or the File menu, select New Outline Blank. Begin writing from an Outline document by clicking the Create Draft button in the Outline palette.</p>

Working with More than One Language within a Document

Select the text, then from the **Writing** toolbar, open the **Language** list and choose the desired language format.

(Kurzweil 3000 includes: English, French, Spanish, German and Italian. For other languages, you must first add the speech engine for the language for that language.)

Adding a Picture to a Document

To insert a picture into a text document:

1. In a text document, click where you want to insert the picture.
2. From the **Edit** menu, choose **Insert Picture**.
3. In the **Open** dialog, navigate to and select the picture file name you want, then click **Open**.
4. **Save** the document in RTF format.

To copy and paste a picture into a text document:

1. Display the picture that you want to copy and paste. The picture may be located in your file system, in an existing Kurzweil 3000 document or in a document from another application.
2. Select the picture.
3. From the **Edit** menu, choose **Copy**.
4. Click in the location in the Kurzweil 3000 document where you want to paste the image.
5. From the **Edit** menu, choose **Paste**.
6. **Save** the document in RTF format.

To copy a part of an image and paste it into any document:

You can copy part of an image from an image document and paste the image into any program that accepts bitmaps.

1. Open the document containing the image you want to copy; and from the **Edit** menu, choose **Image Selector**.
2. In the image, click at the place where you'd like to begin your selection. Drag the frame until the part of the image you want to copy is enclosed.
3. From the **Edit** menu, choose **Copy**.
4. Open the document in which you want to paste the image, and from the **Edit** menu, choose **Paste**.

After adding a picture or image, you can change its properties, such as **Height** and **Width**, **Alignment** and **Border** appearance, by selecting **Picture Properties** from the **Edit** menu.

Dragging and Dropping Image Text

You can drag and drop text from an image document into a text document and vice versa. Image text “drops” into text documents as text. Text from a text document “drops” into an image document as a Text Note. To “drop” the text as a Sticky Note, hold down the **ALT** key while dragging and dropping.

Working with an External Text Editor

From the **File** menu, choose **Open with Editor** and select **Microsoft WordPad** or **Microsoft Word**, then open the file you want to edit.

Editing Options from the Edit Menu

The options you see depend on whether you are working in an image or a text document.

Undo	Undo your previous action.
Cut	Cut selected text from a text document.
Copy	Copy selected text from a document.
Paste	Paste cut or copied text into a text document or into Notes. Or paste an image into a text file.
Select All	Select all of the text in a document.
Image Selector	Select part of an image document for copying.
Insert Page Break	Place a page break at the current cursor position in text documents.
Insert Picture	Insert a picture from any file into a text document.
Picture Properties	Change properties, such as dimension, or add a border for selected picture.
Enable Editing	Allow or prevent document editing.
Move Existing Page	Reorder pages in image documents.
Correct Recognition	Correct underlying text in image documents.
Find	Find and replace text and find highlights in typed documents. Find text, notes, highlights, or bookmarks in image documents.

Additional Writing and Editing Options

Change Word Spacing	To increase the readability of text, set this option and other text formatting and viewing options in the Text Options pane. See “Setting Options in Kurzweil 3000” on page 45.
Enable Phonetic Spelling	Enable this option to help students find and correct phonetic errors. It can be found in the Word Prediction Options pane. See “Setting Options in Kurzweil 3000” on page 45.
Find Homophones	Kurzweil 3000 provides three levels of homophones to help students identify and correct common homophone errors. For information about word lists, see “Using Word Lists” on page 36 and “Setting Up Word Lists” on page 60.
Limit Spelling Suggestions	Too many options may confuse instead of help students. Specify to Always or Never Limit Spelling Suggestions . This option is in the Spell Check Options pane. See “Setting Options in Kurzweil 3000” on page 45. To have students decide for themselves: select Add option to spelling window to enable the Fewer/More Suggestions button in the Spelling dialog.

Using





The writing process begins with finding ideas and organizing your thoughts. The **Writing Path**, part of Kurzweil 3000 integrated Writing Path, is a graphic organizer that lets you quickly collect and organize your thoughts. (For more on the Writing Path, use online Help Search.)

While in **Writing Path**, you have access to familiar reading and editing functions, a tools palette, and a comprehensive set of shortcut keys. (See “Shortcuts” on page 66.)

The graphic-based diagram that you create shares information with the text-based Outline. You can switch back and forth between the two views, without losing data.

Creating a Diagram

You can create a New Blank document and start a diagram from scratch or create one from an existing template.

<p>Open the window:</p> 	<p>From the Start Writing button in the Writing toolbar, the Write menu or the File menu, select New Blank or select New from Template. For templates, select the one you want from the Open dialog.</p> <p>The default view opens with the work area containing a single graphic element – the Main Idea Oval, as a starting point; and a tools palette.</p> <p>Templates present a general structure, instructional and sample text that you can edit.</p>
<p>Create and edit thoughts, main ideas, sub-ideas, and details:</p> <p>Use Quick Takes.</p> 	<p>Keep thoughts to just a few words. Click in an empty area in the window.</p> <p>Select a shape. Ovals can be for main ideas, Rectangles for sub-ideas and Diamonds for details.</p> <p>Begin typing your thought or edit existing text. You can use typical editing functions, CTRL+A, CTRL+C, CTRL+V.</p> <p>To add related thoughts in rapid succession, click the Quick Takes button.</p>
<p>Link thoughts:</p> <p>Use Link Thoughts.</p> 	<p>The Link button is only available when there are multiple thoughts in the diagram and one thought is selected.</p> <p>Select the shape that is to be higher in the hierarchy, typically a topic or key idea.</p> <p>Click the Link button.</p> <p>Click the shape to which you want the link to lead, typically a subtopic or supporting detail.</p> <p>A solid black-line with a directional arrow appears; pointing to the last thought you clicked.</p>
<p>Organize and Arrange thoughts:</p> <p>Use Arrange.</p> 	<p>To change shapes, select the thought and click on the shape button in the palette.</p> <p>To change shape color, select Fill color.</p> <p>To arrange thoughts, click the Arrange button.</p>

Selecting and Editing Thoughts

To select a thought, click on its shape.

To select multiple thoughts, do one of the following:

- Select a group of nearby thoughts, click in a wider area than the thoughts you want to select, then drag the selection frame across the area until all the thoughts you want are in the frame, then release the mouse button.
- Add to selected thoughts, hold the **SHIFT** key and click. To deselect thoughts in this group, click on it and press **SPACEBAR**.

To edit the contents of a thought, click on it twice. The text editor box opens for you to make your changes.


Additional Features

To:	Do the following:
Move thoughts	Select the thought or group of thoughts. Drag and drop to the new location or use Arrow keys.
Delete thought(s), link(s)	Select thought(s) and/or link(s), then click the Delete button in the palette.
Resize a thought	Select it. Four small squares appear, one at each corner, click on the desired one. Drag until the thought is the size you want, then release the mouse button, or press ALT+Arrow keys.
Redirect a link See also "Shortcuts" on page 66.	Click on the link line at the end you want to re-direct. Two square "grips" appear, one at each end of the link. Drag the end of the link to another thought, then release the mouse.
Delete a link	Click to select the desired link. Two small square "grips" appear, one at each end of the link arrow. Press DELETE .

Adding and Working with Notes

For each thought you create in the diagram, you can attach a Note to add more details, expand on an idea, as well as to keep track of the sources from which your ideas originated. This can be helpful for noting paraphrases and direct quotations, and to add source information, citations, references and bibliographies.




To add a Note to a thought:

1. Select the thought if it isn't selected already.
2. Click the **Note** button  to open it, or press **CTRL+T**. A Note marker appears indicating that the thought now has a note attached.
3. Type your notes.


To open/show and close/hide a **Note**, select the thought that has the note, click the note marker or press **CTRL+T**. You can edit the open note. Whatever state you leave the note (opened or hidden) when you close the diagram, that is the state you see when you re-open the diagram.

Switching from to Other Views

From , you can switch to the following views by clicking the desired view button in the **Writing** toolbar or by selecting the desired option from the **Write** or the Right Mouse Button menu.

<p>to Outline.</p> 	<p>Click the Outline button, or select Outline from the Right Mouse Button menu, or use the shortcut CTRL+SHIFT+T.</p>
<p>to Draft.</p> 	<p>Click the Draft button to begin writing.</p>
<p>to Draft using the Split Screen view.</p> 	<p>If no outline exists or if an outline exists for this diagram: Click the Split Screen button. In the Split Screen window, the Outline for this appears in the left-hand pane. Begin writing in the Draft area in the right-hand pane.</p>

Creating a Draft from

From the diagram, click Outline view. In Outline view, click the **Create Draft** button  in the tools palette. The outline text appears in the draft, ready for you to expand into prose.

Using Outline




The outline is an alternative way to begin the writing process. Kurzweil 3000 Outline lets you jot down your ideas and organize your thoughts into a writing plan.

While working in Outline, you have access to familiar reading and editing functions, a tools palette, and a comprehensive set of shortcut keys. (See “Outline Shortcuts” on page 67.)

The text-based outline that you create shares information with the graphic-based diagram, allowing you to switch back and forth between the two views, while preserving your data.

Creating an Outline

You can create a New Blank Outline document and start one from scratch or create one from an existing Outline template.

<p>Open the Outline window:</p> <p>Main Idea </p> 	<p>From the Start Writing button in the Writing toolbar, the Write menu or the File menu, select New Outline Blank or select New Outline from Template. For templates, select the one you want from the Open dialog.</p> <p>The default Outline view opens with the work area containing a Main Idea; and a tools palette.</p> <p>Outline templates present a general structure, instructional and sample text that you can edit.</p>
<p>Add ideas, sub-ideas and details:</p> <p>Use the Add Topic/Add Subtopic stars.</p> 	<p>Click in any line.</p> <p>To add ideas at the same level, press the Return key or click Add Topic (the first star) in the Outline palette.</p> <p>To add ideas one level lower, click Add Subtopic (the second star from the left).</p> <p>When you add a sub-topic, its “parent” topic, the one for which it is a sub-topic, shows a blue dash marker, indicating that the topic has sub-topics.</p> <p>Type or edit topics. For details on editing Outline text, see “Selecting and Editing Outline Text and Topics” on page 31.</p>
<p>Organize and re-organize ideas:</p> <p>Use the Move Topic arrows.</p> 	<p>To promote a topic to a higher level, for example, level A to level I, click in the topic and click the Left arrow.</p> <p>To demote a topic to a lower level, for example, level A to level 1, click in the topic and click the Right arrow.</p> <p>To move a topic higher in the order of same-level topics, for example, topic F to topic B, click in the topic and click the Up arrow until the topic is in its new place.</p> <p>To move a topic further down in the order of same-level topics, for example, topic B to topic F, click in the topic and click the Down arrow until the topic is in its new place.</p>

To show or hide sub-topics:

[−]III. Boston sightseeing
[−]A. Museum of Science
[+]1. IMAX
2. Duck Boats

Click the plus sign or the blue dash.

Selecting and Editing Outline Text and Topics

There are two types of text selection in Outline view:

- Regular text selection within a topic or note. Text in the Outline view cannot be selected across topics or across topics and notes. Regular text selection applies only to the selected text and does not select any sub-topics that a topic may have.
- Complete selection selects all the text in a topic as well as its associated sub-topics and notes. A complete selection of a Note selects all the note text.

To select and edit regular text:

Double-click to select a word.

Drag-select letter, word or block of text.

You can:

- Edit text using familiar editing functions such as, Cut/Copy/Paste, however, dragging and dropping text is not available in Outline.
- Deselect text by clicking elsewhere, however, be aware that if you click to the left of a line of text or in the area before any marker, you are performing a complete selection of the topic.

To select a whole topic or note:

Move the pointer to the area before the topic text or any marker, if it exists, then click, or press **CTRL+SPACE**. This applies to any level of topic in the Outline feature. After you click, the topic is highlighted. You can now Cut/Copy/Paste, delete or drag and drop to move it.

Because it is a complete selection of the entire topic, the operation affects all of the topic's sub-topics and notes.

To delete text in a topic without removing its number:

Select the text or select the topic, then press the **DELETE** key.


To delete a topic and its associated sub-topics and notes:

1. Select the topic. The topic text should highlight indicating that it and all of its associated sub-topics and notes are selected.
2. Click the **Delete** button in the palette or press **DELETE**.

Adding and Working with Outline Notes

For each thought you create in the Outline, you can attach a Note to add more details or to keep track of the sources from which your ideas originated. This can be helpful for noting paraphrases and direct quotations, and to add source information, citations, references and bibliographies.

To add a Note to a topic:

1. Click the topic for which you want to add a note.
2. From the tools palette, click the **Note** button  or press **CTRL+T**.
3. Type your note.

To open/show and close/hide an Outline Note: click the note marker, or press **CTRL+T**. You can edit the open note.






To select, move, copy, or delete an Outline Note:

1. Click the note marker to open the note.
2. Select the whole note by clicking to the left of the note marker, or by pressing **CTRL+SPACE**. The note text is highlighted.
3. Do one of the following:
 - Drag and drop it to a new location.
 - Cut/Copy/Paste in another location.
 - Click the **Delete** button in the palette or press **DELETE**.


Note: When using Extract Text in Outline view, open all notes to show their text before using the command to ensure that the text in notes will be extracted.

Switching from Outline to Other Views

From Outline, you can switch to the following views by clicking the desired view button in the **Writing** toolbar or by selecting the desired option from the **Write** or the Right Mouse Button menu.

Outline to . 	Click the  or select  from the Right Mouse Button menu, or use the shortcut CTRL+SHIFT+T .
Outline to Draft. 	Click the Draft button to begin writing.
Outline to Draft using Split Screen view. 	Click Split Screen view button to show a read-only, non-editable outline view in the left-hand pane. Begin writing in the Draft area in the right-hand pane.
Outline to Review.	Click the Review button. See “Finalizing a Draft Using the Review Checklist” on page 34.

Creating a Draft from Outline

With the Outline open, click the **Create Draft** button  in the tools palette. The outline text appears in the draft, ready for you to expand into prose.

Creating and Working with Drafts

In the writing process, the stage after ing and/or outlining, is the actual “writing” stage, when you create drafts for your own review, for peer-editing, or for teacher approval. In the Kurzweil 3000 Writing Path, this is the Draft stage.




Creating a Draft

You can create a New Blank Draft document to start from scratch, create a draft from a /Outline document, or create a draft from an existing Draft template.

To create a Draft from:	Do the following:
Blank	From the Start Writing button in the Writing toolbar, the Write menu or the File menu, select New Draft Blank . Begin writing.
Writing Template	From the Start Writing button in the Writing toolbar or from the Write menu, select New Draft from Template . From the Open dialog, select the template you want. Each template includes instructions and tips for writing. The instructions and tips are actually “Field Text.” The text you type in the Templates overwrite the Field Text. All writing and editing features are available.
/Outline	This option is only available if you have already created a diagram or an outline using the Outline feature. If you only have the diagram and no outline, Kurzweil 3000 converts the diagram contents and organization into outline format before opening the Draft. Changes you make in the Draft are not reflected in the Outline or views. From Outline, click the Create Draft button in the Outline tools palette. From , click Outline . In Outline view, click Create Draft . The Draft document opens with the Outline text ready for you to expand into prose.

Switching from Draft to Other Views

From Draft, you can switch to the following views by clicking the desired view button in the **Writing** toolbar or by selecting the desired option from the **Write** or the **Right Mouse Button** menu.

Draft to 	Click the button. This is available if there is or is not a diagram or Outline associated with this draft. If there is no diagram or Outline, the default diagram or Outline appears.
Draft to Outline 	Click Outline . This is available if there is or is not a Outline associated with this draft, the default diagram or Outline appears.
Draft to Review 	Click Review . See “Finalizing a Draft Using the Review Checklist” on page 34.

Note: If you want to use Column Notes with a draft document, be aware that when the draft is in Split Screen or Review mode, Kurzweil 3000 hides that view when presenting the Column Notes at the bottom of the document window.

Finalizing a Draft Using the Review Checklist

The actual writing process is a cycle: write, review, rewrite. As part of the Kurzweil 3000 Writing Path, the Review feature is on the Write menu; it opens in the left-hand pane with your draft in the right-hand pane.

The Review checklist is available any time (except when the or Outline View is open) and for any Kurzweil 3000 text document.

The Review checklist comes with a default set of items that you can modify or add to in the Tools Options dialog. You can have a total of 10 items in the checklist.

To review a text document:

1. In the draft document, go to the **Write** menu and select **Review**.
2. Perform each task in the checklist, for instance, run the spell checker, or open the Word List you should be using with your writing assignment.
3. When you are finished with each task, click the appropriate checkbox in the **Review** checklist. If the Speak Buttons option is selected in General Options, Kurzweil 3000 reads the item's description when you roll over its name, and speaks the item name when you check its box. It's possible to complete the checklist items over multiple sessions. Kurzweil 3000 saves the current list status for subsequent sessions.
4. To end a review session, **Close** the **Review** pane.

To modify Review Checklist items:

1. From the **Tools** menu, select **Options**, or press **CTRL+F1**.
2. In the **Options** dialog, click **Review Items** to open its dialog.

Add new item	Click Add . In the Add dialog, type the name of the new item or select one from the default set. The default set list only shows items that are in the default set, but that are not in the current checklist set. (Optional) enter a description for the item. Click Add .
Rename item	Select the desired item from the list. Click Rename . In the Rename dialog, enter the new name, and click Rename . Note that you cannot rename a default item.
Select default checklist set	Click Default .
Delete, Move item	Select the desired item from the list. Click the desired command button.

3. Click **OK**. Modifications are saved to the document, so you should see them in subsequent sessions.

Using Writing Support Tools

Using Spell Check

Kurzweil 3000 lets you check spelling in image documents to correct scanning errors, as well as in text documents to correct composition errors.

Making spelling corrections in image documents changes the underlying text that Kurzweil 3000 reads; it does not alter the image text on the screen. To see the underlying text, choose **Edit Underlying Text** from the **Edit Correct Recognition** submenu.

To spell check a document:

1. In a document, click the **Spell Check** button in the **Writing** toolbar.
If Kurzweil 3000 finds a word it thinks is misspelled, it opens the **Spelling Correction** dialog.
2. In the **Spelling Correction** dialog, decide how you want Kurzweil 3000 to handle each possible error.

To:	Do the following:
Ignore the word	Click Skip .
Ignore the word throughout the document and not save it to the spelling dictionary	Click Skip All .
Correct an error	Select a word from the Suggestions list or type your correction into the Change To box, then click Change .
Correct the error throughout the document	Select a word from the Suggestions list or type your correction into the Change To box, then click Change All .
Hear the contents of the Change All box	Click Read .
Add the word to your private dictionary	Click Add .

You can control the number of possible corrections the Spell Checker displays by clicking **Fewer Suggestions** or **More Suggestions**. (This button is only available if the **Add option to spelling window** is enabled in the Spell Check Options pane. See "Setting Options in Kurzweil 3000" on page 45.)

3. When you are finished, click **Exit**.

To check spelling as you type:

Enable **Check Spelling as You Type** in the **Tools Options Spell Check** pane.

As you type, possible spelling errors are underscored with red dotted lines. Click the Right Mouse button to see and select from a list of corrections. There are also a couple of options: **Ignore** and **Add to Dictionary**.

To add or delete words in your private spelling dictionary:

1. Click the **Spell Check** button in the **Writing** toolbar to open the **Spelling Correction** dialog.
2. Do one of the following:
To add the current word, click **Add**.
To delete the selected word, click **Delete**.
To hear the selected word, click **Read**.
3. Click **OK**.


Using Word Prediction

In a document in which you are typing, select **Word Prediction** from the **Tools** menu,



or click the **Word Prediction** button on the **Writing** toolbar.

As you type, Kurzweil 3000 presents possible words in a list in the **Word Prediction** window.



To select a word, do one of the following:

Click on the word in the list.

Or using the number keypad, press the number of the word in the list.

Or press the **CTRL** key plus the number of the word in the list.

To have the Word Prediction window stay in one place or follow along as you type:

Click the Thumbtack in the upper left-hand corner of the Word Prediction window.

To add all the words in the document into Word Prediction:

Click the Train button.

Using Word Lists

Kurzweil 3000 includes a dozen ready-to-use Word Lists, from Homophones and Confusable words to Transitional Words from Sopris Wets Step Up To Writing program.

For Teachers:

You can create new lists based on subjects or units of study, see “Setting Up Word Lists” on page 60.

For Students:

If the Word List you are using has the associated option selected, you can do the following while you are writing:

Highlight Word List's words in a document (The Add list to the Highlight menu option must be selected in the Word Lists Options)	In a document, go to the Tools menu, choose Highlight , then select the desired Word List name. Any words contained in the selected list are highlighted in the document.
Find Word List's words in a document (The Add list to the Find menu option must be selected in the Word Lists Options)	Place your cursor at the beginning of the document. From the File menu, choose Find , then select the desired Word List name. The Find dialog, shows the first word in the document that is on the list. Use any of the functions in the dialog: Replace , Find Next .

Using Floating Word Lists

The Floating Word List is a handy window that you can have open as a self-correction support while writing and editing in any draft, including a document from other applications such as Microsoft Word. It can remain open even as you work in different documents.

Accessible from the **Tools** menu, it displays words from a selected Word List. If you have the **Highlight Used Words** option selected, you can use Floating Word Lists while:

- Writing - words highlight in the window as soon as you type them in your document.
- Reviewing your draft documents - in any open text document, Kurzweil 3000 highlights words from the selected word list.

It's also possible to do the following:

- Drag and drop words from the Floating Word List window into your document.
- Look up word information in the list by double-clicking on the desired word.
- Show up to four word lists accessible in the window, so you can change lists as you work.

The word lists that are available to the Floating Word List feature are the ones that are in the Word List Setup dialog. For more information on word lists in general and creating them, see "Setting Up Word Lists" on page 60.

Note: The Floating Word List is only available when there is a text file open, if it is not the active view, and if the floating window is not already open.

To work with the Floating Word List:

1. Open a text document.
2. From the **Tools** menu, select **Floating Word List** or click its button in the Study Skills toolbar.
3. Select the word list you want by clicking on its tab.
4. What you can do:
 - Write in your draft document. The **Highlight Used Words** option is selected by default, so you should see Kurzweil 3000 highlight list words as soon as you type them.
 - Drag and drop words from the window into your working document.
 - Look up a word in the list by double-clicking it.
 - Keep the window open even if you close and open documents, or if you are using another application such as Microsoft Word.

To add or remove lists to Floating Word Lists:

1. In the Floating Word List window, click **Edit Word Lists** to open the dialog.
2. Do one of the following:
To add a word list and specify whether it should be required or optional, click the desired word list from the **All Word Lists** list.
A required list is one from which students must be required to use all the words in the list for a writing assignment. Click **Add as Required**.
An optional list is one from which students do not have to use all the words. Click **Add as Optional**.
The list name appears in the **Selected Word Lists** column with a check, indicating that it will appear as a selectable word list tab in the Floating Word List window.
Note: You can have up to four list name tabs showing in the window.
To remove a word list, select it and click **Remove**. If only one list is left, avoid removing it. If you do so by accident, you can reopen the Floating Word List and its Edit dialog.
3. Click **OK**.

To review a document for words you used from a word list:

1. Open a text document.
2. From the **Tools** menu, select **Floating Word List** or click its button in the Study Skills toolbar.
3. Select the word list you want by clicking on its tab.
The **Highlight Used Words** option is selected by default, so Kurzweil 3000 should highlight the words from the word list that you used in the document.

Additional Floating Word List Options

- **Get word information** - In the Floating Word List window, double-click a word to see its definition and other word information.
- **Highlight words used** - It may be beneficial for students to be able to keep track of the list words they have used in their documents. This setting is in the **Edit Word List** dialog, and is on by default.
- **Speak when word is clicked** - This option, available in the **Edit Word List** dialog, is selected by default to have Kurzweil 3000 speak the word when clicked.

Taking Tests Using Kurzweil 3000 Features



If you are a student, the following are Kurzweil 3000 features you can use when answering test questions:

Highlighting	Use highlighters to answer multiple-choice questions.
Typing	Type answers into a Text Note box. Text Notes may be pre-inserted using Fill In the Blanks or students can add the boxes.
Navigating among Text Notes	Use the TAB key to go to the next Text Note. Use SHIFT+TAB to go to the previous Text Note.
Recording	Create Voice Notes or if they are already embedded in the document, click on a Voice Note anchor and record an answer.
Dragging and Dropping	Open scanned curriculum and drag information from it into the test. Ideal for “open book” tests.
Printing	If needed, use the Fit to Paper option in the Print dialog to ensure that a test prints without any information being cut off.

Managing Documents

Saving and Printing a Document

In the default **Main** toolbar, click:

	to Save a document. By default, Kurzweil 3000 automatically saves documents every five minutes.
	to Print a document.

To save a document in another name and/or file format, use **Save As** from the **File** menu.

File Format to Save As:	Types of Documents:	Preserves:
.KES (Kurzweil format)	Save from image or typed/text documents, including scanned documents, documents opened with KESI Virtual Printer. Use this format for documents that have Notes, Highlighting, and bookmarks that you want to use in Kurzweil 3000.	Saves text, formatting, Notes, Highlighting, Bookmarks.
.TXT (ASCII text)	Save from image or typed/text documents. This file format is good for documents when you want to share or open them with other applications but are not certain what format to use.	Saves text only, but not Notes, Highlighting, Bookmarks, and images.
.RTF (Rich Text Format)	Save from image or typed/text documents. Use this format for documents that you want to share or open with other applications such as word processors.	(same as above)
.DOC (MS Word)	(same as above)	(same as above)
.DOCX (MS Word 2007)	(same as above)	(same as above)
.OPF (DAISY 3)	Save from image or typed/text documents. DAISY files are portable and shareable.	Saves text, bookmarks, navigation, but not Notes, Highlighting, and images. NOTES: Saving to DAISY actually creates a set of files, so it's a good idea to create a folder to receive those files. In the Save As dialog, locate that folder, then save. When opening DAISY files, use the file with the .opf ending.

To save parts of a document, from the **File** menu, choose **Save Page Range**, specify the page range and click **OK**.

Locating Documents and Files

Windows Vista, Windows 7	C:\Users\ <i>user name</i> \Documents\KESI\Kurzweil 3000
Windows XP	C:\Documents and Settings\ <i>username</i> \My Documents\KESI\Kurzweil 3000
Older systems	C:\My Documents\Kurzweil Educational Systems\Kurzweil 3000\ <i>username</i>

- To locate Column Notes files, find files that end with the file extension .k3c.
- In the USB Edition, files are saved to the USB device in the “USB Documents” folder.

Sending a Document to a Recipient Through E-mail

1. Open the document you want to send.
2. From the **File** menu, choose **Send To** and either the text or attachment option. Selecting Text places the content of the document into an e-mail; selecting attachment attaches the file.
3. Specify recipient and **Send**.

Creating an Audio File

Any file format can be converted into an audio file in MP3, WAV or DAISY 2 format. If your system does not have an MP3 encoder, and has Internet connection, Kurzweil 3000 downloads one.

The output file is added to iTunes and Windows Media Player under the “Kurzweil 3000” playlist. You can uncheck option(s) you do not want or change the playlist. (Not available in USB Edition.)

To create an audio file:

1. Open the document you want to convert. To convert only an excerpt, select the text you want.
2. From the **File** menu, select **Audio Files**, then choose **Create Audio File**.
3. In the **Create Audio File** dialog, specify the options you want: **Entire Document**, **Page Range** or **Selected Text**, **Reading Voice**, type of **Output**, and file name, then click **OK**. If you have selected text in the document, the **Selected Text** option would be the default.
4. Find the file: (XP) C:\Documents and Settings\All Users\Application Data\KESI\Output Audio. (Vista/Windows 7) C:\Program Files\Kurzweil Educational Systems\Kurzweil 3000\Settings. (USB) “Output Audio” folder on the USB device.

NOTE: If you are outputting to DAISY 2, the output is actually a folder with a set of files.

To track the audio file creation process:

Select **Audio Spooler Monitor** from **File Audio Files** or run the **Audiospooler.exe** file from the **Windows Start** menu.

Additional File Options from the File Menu

Import	Import a file created in another program (if a converter exists on your system).
Export	Export a text file to another file format (if a converter exists on your system).
Extract	Extract Text, Notes, Highlights, and Bookmarks to a new file. Also available in Writing Outline view.
Join	Join two open documents.
Open with Editor	Open a text or RTF document using Microsoft WordPad or Microsoft Word.
Properties	Add security and other properties to a document. See “Setting Document Properties” on page 63.
Recent Files	Open a recently accessed file. (Not available in USB Edition.)
Change User	Select an existing user, or create a new user. (Not available in USB Edition.)

Searching for and Downloading Electronic Content

You can search for and download:

- Electronic books and material from Web sites such as *Project Guttenberg*, *Bookshare.org* and *Baen Free Library*.
- Text files from the Classic Literature folder which is included on Kurzweil 3000 product DVD.
- Electronic magazines from such sites as *Talking Newspaper UK*.
- News and updates from Kurzweil Educational Systems. (Not available in USB Edition.)

Searching for E-Content from Web sites or Kurzweil 3000 Classic Literature

1. Place the product DVD in the DVD drive.
1. From the **Online** menu, choose **Search for Books**.
2. In the **Online Search** dialog, search by **Author** or **Title** by clicking the Author/Title button and typing in any part of the name or title.
3. Make sure the sites you want to search are checked, then click **OK**.
4. In the **Download Status** dialog that appears, select each desired item from the **Items available for download** list.

You can also use:

- **And** or **Or** to narrow searches.
- Complex Queries. See Online Help for details.

Searching for Online Magazines

1. From the **Online** menu, choose **Search for Magazines**.
2. In the **Online Magazine Search** dialog, type in any part of the magazine's name.
3. Specify the time frame, then click **OK**.
4. In the **Download Status** dialog that appears, select each desired item from the **Items available for download** list.

Opening and Managing Downloaded Files

From the **File** menu, choose **Open**.

It's a good idea to rename downloaded files after opening them and place them in another folder.

Using the Universal Library to Share Documents

The Universal Library is a folder that lets you store and share documents with others. If it has been set up, teachers can place tests, materials for assignments or classwork for students to pick up. When students complete the tests or assignments, they can save the documents back to the library. The library can be set up on a Standalone system that serves multiple users or on Local Area Network for Kurzweil 3000 Network users. Note: The Universal Library is not available in the USB Edition.

For details on setting up the Universal Library, see “Setting Up the Universal Library for Sharing Documents” on page 76.

To open a document from the Universal Library:

1. From the **File** menu, choose **Open from Library** to open the **Kurzweil 3000 Universal Library** folder.
2. Select the desired document from the folder and click **Open**.

To save a document to the Universal Library:

1. Open the document you want to save.
2. From the **File** menu, choose **Save to Library** to open the **Kurzweil 3000 Universal Library** folder. (Note: if you a document by the same name already exists in the library folder, be sure to rename it before saving.)
3. Click **Save**.

Customizing Kurzweil 3000

Showing, Hiding and Applying Toolbars

In addition to the Main and Reading toolbars, Kurzweil 3000 provides two other standard toolbars that you can show and hide:

- **Study Skills** toolbar
- **Writing** toolbar

To show or hide a toolbar:

1. Move the cursor to an empty spot in the toolbar area.
2. Press the right mouse button to display the **Toolbar Right Mouse Button menu**, then select or deselect the desired toolbar.

Kurzweil 3000 also provides a number of sample toolbars for specialized tasks such as document preparation and test taking.

To apply a sample toolbar set:

From the **Tools** menu, choose **Customize Apply Toolbar Set**, then select a toolbar.

Or open the **Toolbar Right Mouse Button menu**, choose **Apply Toolbar Set**, then select a toolbar.

To return to the default Kurzweil 3000 Main and Reading toolbars:

From the **Tools** menu, choose **Apply Toolbar Set**, then select **Classic**.

Customizing Toolbars

1. From the **Tools** menu, select **Customize**, then select **Toolbars** to open the **Toolbar Customization** dialog.
2. Select the toolbar you want to customize.
3. In the **Buttons** area, you can:
 - Remove an item from a toolbar: Select it from **Active Buttons** list and click **Remove**.
 - Add an item to a toolbar: Click the item in the inactive buttons list, then click **Add**.
 - Move an item: Select it, then move it by clicking the **Left** or **Right** arrow button.
 - Change the order of Highlighter pen colors. (This also affects the results for Extract Notes and Highlights, and Extract Highlights to Column Notes.)
4. Click **Apply** or **OK**.

For more information about customizing toolbars and creating toolbar sets, see the Kurzweil 3000 online Help.

Customizing the Right Mouse Button Menu

To display the Right Mouse Button menu:

Right-click while the cursor is over a document. Depending on the context, some Right Mouse Button menu options may not be available. For example, Edit Underlying Text is only available when you are in an image document.

To add or remove menu items:


1. From the **Tools** menu, choose **Customize**, then select **Right Mouse Button**.
2. Select desired items.
3. Click **OK**.

Changing the Reading Dual Highlighting Color Options

As Kurzweil 3000 reads, it highlights the reading unit in one color and the current word in another color.

To change the highlighting colors:

1. From the **Tools** menu, select **Options**.
2. Click the **Text** button to open the Text Options pane.
3. In the **Colors** area, specify the desired colors for the word and sentence highlighting.




Setting Options in Kurzweil 3000

Most of the features in Kurzweil 3000 have additional options, the majority of which are in the **Options** panes.

To access an Options pane:

1. From the **Tools** menu, select **Options** to open the **Options** dialog.




2. Click the icon for the desired option category:
General, Reading, Text, Image, Magnify, Highlighters, Spell Check, Scanning, Word Prediction, Review Items.

Note: If you tend to access **Options** panels frequently, you can place the **Options** button on a toolbar. See “Customizing Toolbars” on page 44 for more information.

Scanning

Basic Scanning

1. Make sure your scanner is turned on.
2. Place the material to be scanned on the scanner glass.
3. Click the **Scan** button  in the **Main** toolbar.
Progress messages appear as Kurzweil 3000 captures the image and “recognizes” the text. When the scan is complete the page image appears in the Kurzweil 3000 document area. Each new page you scan is added to the end of the document.

To cancel scanning, click the **Cancel Scan** button.

High-Speed Scanning

If you are using a high-speed scanner, it is often more efficient to use that scanner’s software than to use Kurzweil 3000, then use the Kurzweil 3000 Automater to convert the scanned TIFF files into KES or PDF file format. See online Help for details on using the Automater. Note: This feature is not available in USB Edition.)

Scanning Options from the Scan Menu





To:	Use:
Scan a page again and replace it for the current page.	Rescan Page
Scan a page and insert it before the current page.	Insert Page
Insert an image file.	Insert Image
Delete the current page.	Delete Page
Correct recognition errors found by Kurzweil 3000.	Corrections
Re-do the recognition process to see if you can obtain better results.	Re-Recognize Page
Scan a color document and display it in color.	Use Color
Specify duplex scanner or scanner with an automatic document feeder.	Double Sided
Scan facing pages of small format originals such as paperbacks.	Two Page Mode
Automatically scan pages one after another, with a delay in between scans. You can specify the delay interval in the Settings Options pane.	Scan Repeatedly
Select a scanner. Scan small-sized pages to save scanning time. Set scan page size. Optimize scanning settings.	Scanner Setup
Use to clean crease marks, specks and other unwanted blemishes in image documents.	Image Fill
Re-order reading zones. See page 50.	Zone Editor

Scanning Options from the Scanning Options Pane

To open the Scanning Options pane:

From the **Tools** menu, select **Options**, then click the **Scanning** icon.

The following table presents the options available from the **Scanning Options** pane.

To:	Use this option:	Do this:
Adjust dark or light originals.	<p>Brightness</p> 	<p>Drag the slider.</p> <p>Use higher values to lighten dark originals and lower values to darken light originals.</p> <p>After you have found the ideal setting for the document or most of the documents you will be scanning, click Save Setting.</p>
Adjust the time interval between each scan.	<p>Repeated Scan Delay</p> 	<p>Drag the slider.</p>
<p>Specify the top of the page relative to the "Home" position of the light bar on the scanner.</p> <p>Identifying page orientation can speed up scanning.</p>	<p>Page Orientation list</p> 	<p>From the list, select the appropriate setting:</p> <ul style="list-style-type: none"> • Top of Page where the top of page aligns with the scanner Home position. • Or top of page is rotated 90, 180 or 270 degrees from the Home position.
<p>Select OCR settings based on your documents' requirements, including language(s) of the originals.</p> <p>Trade-offs are quality versus speed.</p>	<p>OCR engine</p> 	<p>Select Engine:</p> <ul style="list-style-type: none"> • FineReader for any type of document, especially hard-to-scan faxes, and hard-to-find languages, and for machine and software code. FineReader may be slow. • Scansoft tends to be faster than FineReader. <p>Select Speed:</p> <ul style="list-style-type: none"> • Accurate for increased accuracy, but scanning speed can be slow. • Fast for faster scanning, but decreased accuracy. <p>Select Language. If you work with multi-lingual documents or frequently use documents in various languages, you can select all those languages in the list.</p>

Keep the newly added scanned page in the background so that you can read the document while scanning.	Show New Scans	In the Extras area, deselect Show New Scans . Note: Two Page Mode must also be deselected in the Scan menu when deselecting Show New Scans . In order to select Two Page Mode , Show New Scans must also be selected.
Scan pages with more than one column of text, or when disabled, to scan tables or documents with blanks.	Find Columns	This option is selected by default. Deselect it when scanning tables or documents with blanks such as tests and worksheets.
Ensure that scanned pages do not appear crooked.	Deskew	Deskew is selected by default, but try deselecting it if a page continues to appear crooked.
Improve recognition accuracy of documents with text printed on dotted background or speckled paper, like newspapers.	Despeckle	Select to improve scans of some colored originals and newspapers.
Scan multi-colored document, such as magazine pages or text books with color images, color text and backgrounds.	Dynamic Thresholding	Note: Selecting this option may slow down scanning and limit control over the Brightness setting.
Use the alternate TWAIN scanner driver interface that may be included with your scanner.	Show TWAIN UI	Note: Selecting this option may significantly increase scanning time.
Quickly assess pages that were poorly recognized when scanning a large number of pages or opening a large multi-page document.	Confidence Threshold	By default, Kurzweil 3000 confidence level is set at 95%. Setting the value lower decreases the recognition quality. To see pages that fall below the confidence level, open the scan document and from the View menu, select Thumbnail View. Look for page numbers in blue.

Note: Kurzweil 3000 automatically scans white text on black.

Preparing Documents

There are a number of ways to get documents into Kurzweil 3000:

Scan original pages into Kurzweil image documents.	See "Scanning" on page 46.
Open any type of file, such as PDF, directly in Kurzweil 3000. The KESI Virtual Printer opens non-supported files.	See "Using the KESI Virtual Printer to Open Documents Created in Another Program" on page 7. For a list of supported file formats, see "Kurzweil 3000 Supported File Formats" on page 6.
Type and create new text documents.	See "Starting Points for Writing" on page 24.
Import documents.	See "Additional File Options from the File Menu" on page 41.
Open downloaded or saved files from the Web in Kurzweil 3000.	See "Adding and Editing Hyperlinks" on page 23.

After bringing the document into Kurzweil 3000, review and have Kurzweil 3000 read through the document to find recognition errors and speech engine mispronunciations. You will often need or want to perform one or more of the document preparation tasks listed below:


Rerecognize pages.	See "Scanning Options from the Scan Menu" on page 46.
Change reading order using the Zone Editor.	See "Changing Reading Order Using the Zone Editor" on page 50.
Check spelling.	See "Using Spell Check" on page 35.
Use Override OCR to convert unrecognized text into readable zones.	See "Using Override OCR to Convert Unrecognized Text into Readable Zones" on page 51.
Correct recognition errors using Edit Underlying Text.	See "Correcting Recognition Errors Using Edit Underlying Text" on page 52.
Correct pronunciations.	See "Correcting Pronunciations" on page 54.
Edit Headers and Footers.	See "Editing Headers and Footers" on page 55.
Fill in the Blanks for worksheets and tests.	See "Preparing Tests" on page 58.
Specify new first page or front matter.	See "Specifying New First Page or Front Matter" on page 56.
Clean up images.	See "Cleaning Up Image Documents" on page 56.
Change the Language Format of image text.	See "Changing the Language Format of Image Text" on page 56.
Add Instructional Notes.	See "Adding Instructional Notes and Bubble Notes" on page 57.
Set Document Properties such as saving toolbars with a document.	See "Setting Document Properties" on page 63.

Displaying the Document Preparation Toolbar Set

When preparing documents, it may be helpful to display the Document Preparation toolbar, giving you quick access to the tools you will be using most often.

To apply the Document Preparation toolbar set:

Open the **Tools** menu, from the **Customize** submenu, choose **Apply Toolbar Set**, then select **Document Preparation**.



Changing Reading Order Using the Zone Editor

(Image Documents Only) In Kurzweil 3000, the text and images in image documents are treated as separate blocks. When Kurzweil 3000 reads the document, it reads blocks from top-down, left-to-right on the page. This may not be the way you want the material presented, for instance, you may want sidebars, summary text, and/or captions read before the actual text in the section.


Zone Editing allows you to specify the order in which Kurzweil 3000 reads the blocks of text, or "zones." Each zone has its own properties that you can change.

While in Zone Edit mode, you can use familiar navigation functions to move from page to page.


To switch to the Zone Edit mode and access the Zone Editor menu

1. From the **Scan** menu, select **Zone Editor**.

In Zone Edit mode, text and images appear as zones in numbered blocks with borders.



2. Click on a zone to select it, then press the right mouse button to display the **Zone Editor** menu.



From the **Zone Editor** menu:

- Select **Help** to display a list of Zone Editor shortcut keys.
- Select **Adjust Zone** to move or resize the zone border.
- Select **Delete Zone** or **Delete All Zones** to remove a selected zone or to remove all zones.

To exit the **Zone Editor**, deselect **Zone Editor** from the **Scan** menu or from the **Zone Editor** Right Mouse Button menu.

To change the reading order and other zone properties:

1. In **Zone Edit** mode, double-click on the zone you want to select it.
2. In the **Zone Properties** dialog that appears, do one of the following:

Click or do this:	To have Kurzweil 3000 do this:
Primary Text	Read zones in the reading order you specify.
Secondary Text	Read the zone only when clicked and the Read button is activated.
Graphic	Never read the zone. You can use this option for actual images or text that you don't want to have read.
Type a Reading Order number	Read the zone in the specified order.

To access additional **Zone Editing** functions, such as **Adding, Deleting and Adjusting Zones**: while in **Zone Edit** mode, press the right mouse button to display the **Zone Editor** menu, then select the option you want.

Using Override OCR to Convert Unrecognized Text into Readable Zones

There might be times when the OCR process is unable to recognize certain text, for instance, a heading that uses a large or unusual font, text with wide word spacing, or text on a multi-color or dark background. The **Override OCR** option lets you convert unrecognized text into zones that Kurzweil 3000 can read.

To override OCR:

1. In **Zone Edit** mode, open the **Zone Editor** Right Mouse Button menu and choose **Add Zone**.
2. Select the word that was not recognized by dragging the crosshair cursor over it.
3. Click outside the new zone, then click back inside it.
4. In the **Zone Properties** dialog that appears, select **Override OCR**, then type the corrected word that you want to be the replacement.
5. Click **OK**.
6. Click outside the zone to deselect it.
7. Repeat until all the desired non-recognized words are converted to readable zones.
8. Exit **Zone Editor**, and click **Yes** to confirm the changes.

Correcting Recognition Errors Using Edit Underlying Text

(Image Documents Only) In Kurzweil 3000, there are two types of text in image documents, the text that you see on the screen, which matches the original document, and the underlying text, which is the text that the OCR process actually recognized. When reading text in image documents, Kurzweil 3000 uses the underlying text. Since the OCR process can produce errors in recognition, Kurzweil 3000 may not read misrecognized words correctly.

Several features, including an editable Corrections List containing corrections for common recognition errors, let you edit the underlying text and correct recognition errors.


To correct a single word, use **Change Underlying Word**:

1. In the image document, double-click on the word you want to change.
2. From the **Edit** menu, choose **Correct Recognition**, then choose **Change Underlying Word**.
3. In the dialog that appears, type the replacement word in the replace **With** box, and click **OK**.

To correct multiple errors that are not consistent, use the **Edit Underlying Editor**:

1. In the image document, open the **Edit** menu and choose **Edit Underlying Text** from the **Correct Recognition** submenu.
2. In the **Edit Underlying Text** window that opens, scroll or page to the word you want to correct, and click to select it.

Kurzweil 3000 highlights the selected word in the document and the Edit windows, and displays it in the **Selected Word** box.



3. Click **Read** to hear the word.
4. Click in the **Selected Word** box and type in the replacement.
5. Click **Read** again to confirm the correction.
6. Repeat for all the words you want to correct.
7. Click the **Close** box to close the **Edit Underlying Text** window and apply the changes.

To correct errors throughout a multi-page document, you can use familiar Editing functions, such as **Find and Replace** and/or **Spell Check**, either in the document view or in the Edit Underlying Text window.

To correct frequently encountered OCR errors/corrections:

From the **Scan** menu, choose **Corrections**, then do one of the following:

- Click the word you want to change in the **Find** box, and type its replacement in the **Replace With** box, then click **OK**
- Or, click **Add New**, and in the **Add Correction** dialog, type the word or error in the **Replace** box, type the replacement in the **With** box, then click **OK**.

To view and/or edit the default Corrections list, select **Corrections** from the **Scan** menu.

Advanced Corrections Operations

Select **Corrections** from the **Scan** menu, then click **Advanced** to display the Advanced options.

To:	Click or do this:
Restore the default Corrections list	Delete All to delete the current Corrections list. Click Defaults to reload the default Corrections list.
Export the current Corrections list	Click Export . In the Save As box, navigate to the location where you want to save the list. Type the name for the list and click Save . Kurzweil 3000 saves the list as a text file.
Import a Corrections list	Click Import . In the Open box, navigate to where the list you want is located. Click Open . Click OK . You can edit the corrections list with a text editor.

Correcting Pronunciations

Every speech engine has its own pronunciation dictionary. While these dictionaries are comprehensive, you can still encounter words, especially proper nouns, that the dictionaries may not pronounce correctly. You can:


- Change the pronunciation for a single instance of a word or phrase, or edit words or phrases in your speech engine pronunciation dictionary.
- Import and export dictionaries to ensure everyone has a consistent list.
- Create a custom pronunciation dictionary, see Online Help for details.

To change the pronunciation of a word or phrase in a document:

1. Be sure you have the desired speech engine selected in the Speaker Area of the Reading Options pane.
2. Select the word or phrase for which you want to change the pronunciation.
3. From the **Tools** menu, select **Pronunciations** to open the **New Pronunciation** dialog.
4. In the **Pronunciation** box, type the new pronunciation, then click **Test** to test it. Creating the best pronunciation may take multiple tries.
5. Click **OK** to set the desired pronunciation.

To edit pronunciation in a speech engine dictionary, use the Pronunciations Editor:

1. Be sure you have the desired speech engine selected in the **Speaker Area** of the **Reading Options** pane.
2. From the **Tools** menu, select **Pronunciations** to open the **New Pronunciation** dialog.
3. Click the **Edit** button to open the **Pronunciations Editor** dialog.



To:	Do this:
Change the pronunciation for a word	In the Words to be Spoken list, select the desired word. In the Pronunciations box, type the new pronunciation. Click OK .
Delete a word from the dictionary	In the Words to be Spoken list, select the desired word. Click Delete .

Advanced Pronunciation Operations

1. From the **Tools** menu, select **Pronunciations** to open the **New Pronunciation** dialog.
2. Click the **Edit** button to open the **Pronunciations Editor** dialog.
3. Click **Advanced** to display the Advanced options.

To:	Click or do this:
Hear all the words in a pronunciation dictionary	In the Words to be Spoken list, click on the word where you want to start reading, then click the Test All button.
Delete the current pronunciation dictionary and restore the default dictionary	Click Delete All , then click Defaults .
Export the current dictionary	Click Export . In the Save As dialog, navigate to the location where you want to save the dictionary. Type a name for the new dictionary, and click Save .
Import a dictionary, adding its words to the current dictionary	Click Import . In the Open dialog, navigate to the dictionary file you want. Click Open , then OK .

Editing Headers and Footers

(Image Documents Only) Many documents, from books and textbooks to tests and worksheets, have headers and footers that you may not want Kurzweil 3000 to read. The **Header/Footer Editor**, available only in Kurzweil 3000 Professional Edition, lets you mark such text in image documents so Kurzweil 3000 doesn't read them.

To mark headers and footers for all pages in a document:

1. Be sure you have scanned the entire document.
2. In the open image document, select **Header/Footer Editor** from the **Scan** menu. Kurzweil 3000 appends "Header/Footer Editor is Active" to the document name at the top of the Kurzweil 3000 window to indicate that the document is now in Header/Footer Edit mode.
3. Open the **Header/Footer Editor** Right Mouse Button menu, and choose **Mark Header/Footer**.
4. Drag the left mouse button over the header/footer area until the frame encloses the area you want to block. The block turns to a green color indicating that it is selected. In this state, you can move the marker by hovering on the green area and dragging it, or resize it by pointing to the perimeter and dragging it.
5. Apply the marker to all of a document's pages by opening the **Header/Footer Editor** Right Mouse Button menu, and choosing **Apply to All Pages**.
6. Click outside the header/footer.
7. From the Right Mouse Button menu, deselect **Header/Footer Editor** to exit the editor.

Specifying New First Page or Front Matter

(Image Documents Only) When scanning a document into Kurzweil 3000, the first page you scan becomes page 1. If, however, you want to maintain the same page number as the original document, you can do so by using the Set Number feature for the first page. For documents that have two numbering schemes, such as preface material and chapter pages, you can use the Front Matter option to make the distinction.

To specify First Page or Front Matter Pages:

1. In the image document, open the **View** menu, select **Page**, then choose **Set Number** from its submenu.
2. In the **Set Page Number** dialog, do one of the following:
Set a new first page number by clicking in the **Number of First Page**, and typing the desired page number.
Or set front matter pages by selecting **Document has Front Matter**, and typing the number of pages that are in the front matter.
3. Click **OK**.

Cleaning Up Image Documents

Scanned documents can often contain crease marks, specks or other "dirty" areas that can distract students.

To clean up images using Image Fill:

1. In the document you want to clean up, open the **Edit** menu and select **Image Selector**.
2. Click and drag the crosshair cursor to enclose the desired area in the frame.
3. From the **Scan** menu, click **Image Fill**. If the document is in color, select **Color Picker**.
4. Select the color you want. If the document is in color, you can click on any color in the document to use.
5. Click **OK**.

Changing the Language Format of Image Text

(Image Documents Only) If the document you are preparing contains text in two or more languages, you can change the language format of marked text. Kurzweil 3000 automatically reads the marked text using the specified reading language.

For this feature to work you must have:

- A speech engine installed for the language you want to use. Kurzweil 3000 includes English, French, Spanish, German and Italian. For other languages, you must first add the speech engine for the language. To select the engine that has the language you want to use, go to the Scanning Options pane and select it from the OCR area.
- The Language list accessible from the Language Learning toolbar set. To show the Language Learning toolbar, open the Toolbar Right Mouse Button menu, choose Apply Toolbar set and select Language Learning from its submenu. Click the Writing toolbar Toggle (blue block) to show the Language list.

To change the language format of image text:

1. In the image document, select the text you want to mark.
2. In the **Language Learning** toolbar set, select the desired language from the **Language** list.
3. **Save** the document.

Adding Instructional Notes and Bubble Notes


You can add any type of Notes to a document that you are preparing for students. Adding Instructional Bubble Notes is presented here, see “Working with Notes” on page 14 for information on adding Sticky Notes, Text Notes, Voice Notes, and Footnotes.

To embed instructional Bubble Notes:

You can use Bubble Notes to present students with instructions or questions that they can answer. For instructions on answering questions in Bubble Notes, see “Creating and Answering Questions in Bubble Notes” on page 15.

For instructions on opening and hearing a Bubble Note, see “Opening, Hearing and Closing Notes” on page 16.

1. Click a location in the text where you want to place the Note.
2. From the **Tools** menu, click **Notes**, then choose **Add Bubble Note**.
3. In the **Bubble Note** dialog, select the desired options:
 - Appearance:** select Balloon or Cloud Shape and Small or Large Size.
 - Open option:** select to have Note open Before or After a unit is read, or When a word is read.
 - Read option:** select to have Note read upon opening.
 - Question option:** select **True or False**, **Text** or **Multiple Choice** with **Radio Buttons**, **Check Boxes** or **Match**. True or False presents two radio buttons in the text area. Multiple Choice Match presents two columns. To add more choices, use the arrow buttons.



4. Type your instruction/question in the text area. Click **OK** when you are finished. Kurzweil 3000 places the Bubble Note anchor at the specified location in text.

To edit or change Bubble Note properties:

1. Select the desired Note's purple underlined text or purple question mark anchor.
2. From the **Tools** menu, click **Notes**, then choose **Edit Bubble Note**.
3. In the **Bubble Note** dialog, make the desired edits and changes.
4. Click **OK**.

Preparing Tests

Preparation task:	How to do it:
Bring a test into Kurzweil 3000.	Scan an existing test. Or use the KESI Virtual Printer to open a test created in another application. (For information about the KESI Virtual Printer, see “Using the KESI Virtual Printer to Open Documents Created in Another Program” on page 7.)
Have all tools handy when preparing a test.	Open the Tools Customize submenu, choose Apply Toolbar Set , then select Test Preparation .
Optimize reading order.	Use the Zone Editor to set reading order and to remove unwanted text. See “Changing Reading Order Using the Zone Editor” on page 50.
Pause reading at each question.	Add bookmarks or empty Text Notes to each question and select Pause At Bookmarks or Pause at Empty Notes from the General Options panel to pause reading after each question is read.
Add Fill in the Blanks.	Select the Fill In the Blanks option from the Tools menu.
Add Voice Notes to accommodate test takers who need/prefer to respond with audio answers.	Choose Add Voice Notes from the Tools Notes submenu.
Add special instructions to a test.	Add any type of Note to provide additional instructions or guidance where appropriate. See “Using Study Skills Tools” on page 13.

Customizing Tests

Customization:	Where to set it:
Adjust reading speed.	Reading Options pane from the Tools menu.
Have buttons/messages spoken.	General Options pane from the Tools menu.
Show the Test Taking toolbar.	From the Tools Customize submenu, choose Apply Toolbar Set , then select Test Preparation .
Show or hide other tools or toolbars.	General Options pane.
Turn Speak as Typing on or off.	General Options pane.
Select or deselect test taking options.	In the Lock Features dialog from the Tools menu, Enable (unlock) or Disable (lock) features from the following categories: Reading, Writing, Online, Doc Preparation, Library, Reference , and under Miscellaneous, Customization, Encryption, Usage Log , and Bubble Note Editing .
Set up password access to test taking options.	In the Lock Features dialog from the Tools menu, select Password Protect All Settings , then enter the password.
Set up password for file access.	From the File menu, click Properties . In the Properties dialog, click File Encryption . Enter the password, select the desired Encryption Type , then click OK .

Setting Up Word Prediction

To set up Word Prediction options:

1. From the **Tools** menu, select **Options**.
2. In the **Options** dialog, click the **Word Prediction** icon.
3. In the **Word Prediction Options** dialog,

Select:	To:
Add new words as they are typed	Add words to the Word Prediction dictionary as you type.
Add new words automatically when spell checking	Automatically add new words to the Word Prediction dictionary as you add them during spell checking.
Train on words not in spell check dictionary	Add words that are not in the Spell Check dictionary.
Use phonetic spelling	Present possible alternative words from the phonetic spelling list.
Add words to Private spelling dictionary	Edit or reload the Word Prediction Dictionary. By default, the Large dictionary set is loaded

To add an entire document to the Word Prediction dictionary:

This option adds all the words from a text or image document to the Word Prediction list.

Note: If you need to add a list of words to the Word Prediction dictionary for students or users who have a specific set of words with which they have difficulty, consider deleting all the words in the current Word Prediction dictionary before performing this procedure.

1. In a document, click the **Spell Check** button to make sure all the words are spelled correctly. If there are any proper nouns, add them to your Spell Check dictionary.
2. From the **Tools** menu, select **Word Prediction**.
3. In the Word Prediction window, do one of the following:
To add all of the words in the document, click **Train**, then **Yes** to confirm.
To add words from part of a document, select the desired text, click **Train**, then **Yes** to confirm.

To edit or reload the Word Prediction dictionary:

Note: Reloading a default Word Prediction dictionary, removes any words that were added to the dictionary through training or other Word Prediction “add words” options.

1. From the **Tools** menu, select **Options**.
2. In the **Options** dialog, click the **Word Prediction** icon.
3. In the **Word Prediction Options** dialog, click **Edit Word Prediction Dictionary**.

To:	Do this:
Delete a single word	Select the word, then click Delete .
Delete more than one word at a time	Hold down the CTRL key and click each word you want to delete, then click Delete
Delete all of the words	Click Delete All .
Reload one of the default word lists	Click the Small , Medium or Large radio button, then click Reload and Yes to confirm.

4. Click **OK** to exit the **Edit Word Prediction Dictionary** dialog, then **OK** again to exit the **Options** dialog.

To share a Word Prediction dictionary by importing or exporting it:

1. From the **Tools** menu, select **Options**.
2. In the **Options** dialog, click the **Word Prediction** icon.
3. In the **Word Prediction Options** pane, click Word Prediction Dictionary.
4. In the **Word Prediction Dictionary** dialog, do one of the following:

To export a copy of your current Word Prediction dictionary to a file so that others may import it.	Click Export . In the Save As dialog, type a name for your dictionary. Navigate to the location on your system where you want to save the file. Click Save .
To import a Word Prediction dictionary.	Click Import . In the Open dialog, navigate to the location on your system where the file is located, and select it. Click Open .

Setting Up Word Lists

The Word List feature is ideal for special, individualized, class, or study unit word lists. Kurzweil 3000 provides two ready-to-use sets of Word Lists: **Homophones** and **Confusables**. By default, the Homophones II and Confusables II lists are enabled. For the majority of Word List tasks in Kurzweil 3000, you use the Word List dialog.


To:	Do This:
Open the Word Lists dialog.	From the Tools menu, select Word Lists .
Enable or disable a list.	In the Word Lists dialog, click the desired list name's checkbox to enable (check)/disable (uncheck) it. Then click Apply or OK .
Create a list.	In the Word Lists dialog, click New . Create the list from scratch or from words in an open document.
Add a list to the Find and/or Highlight menus, and/or to Word Prediction .	In the Word Lists dialog, click the desired list name, then click Options . In the list's options dialog, click the desired option checkbox. Click OK to apply, and OK to close the dialog.
Edit a list.	In the Word Lists dialog, click the desired list name, then click Options . In the list's options dialog, you can add a new word to the list by typing it into the Word box. Or you can delete an entry by selecting it in the List box and clicking Delete Entry . Click OK to apply, and OK to close the dialog.
Add a definition or related word(s) for a word in the Word List.	In the Word Lists dialog, click the desired list name, then click Options . In the list's options dialog, select the desired word, and type the definition in the Definition box, or enter related word(s) in the Related Words box(es). Click OK to apply, and OK to close the dialog.

Setting Up Kurzweil 3000 for Language Learning

Kurzweil 3000 lets you scan and read documents in other languages.

To set the language for scanning:

1. From the **Tools** menu, select **Options** to open the **Options** dialog.
2. Click the **Scanning** icon to open the **Scanning Options** pane.
3. In the **OCR** area, in the **Language** list, select the desired language. If you frequently use multi-languages, you can select all the languages in the Language list. Find the language(s) and click the checkbox(es).



4. Click **Apply**, then **OK**.
5. When you are ready to read a document with a different language, be sure to select the Reading language. See the next procedure.

To select the language and speaker for reading:

1. From the **Tools** menu, select **Options** to open the **Options** dialog.
2. Click the **Reading** icon to open the **Reading Options** pane.
3. In the **Speaker** area, in the **Language** list, select the desired language.
4. In the **Speaker** list, select the desired speaker for the selected language.



Setting Up Picture Dictionaries

Picture dictionaries, whether electronic or print, can aid in language learning, particularly when they are part of curriculum work for students in ELL or reading programs. Kurzweil 3000 comes with the K3000 Picture Dictionary, as well as a sample set from the Mayer-Johnson PCS library, but it can also support other picture dictionary libraries. It's also possible to set up multiple picture dictionaries as well as clip art or image libraries.

All picture dictionary operations can be found in the **Picture Dictionaries** dialog.

To open the Picture Dictionary dialog:


From the **Reference** menu, choose **Select Dictionary**, then from the **Picture Dictionary** sub-menu, choose **Setup**.

Select options:

Show all matches to present all matches.

Stop after first dictionary match to limit matches presented. (Recommended if there are many picture dictionaries added.)

Up/Down Arrows to move the order of dictionaries in the list. When searching for a definition, Kurzweil 3000 looks in each dictionary in the order that they appear in the list.



To add a picture dictionary:

1. Ensure that the software is installed on your computer and you know its location.
2. In the **Picture Dictionaries** dialog, click **New**.
3. In the **New Picture Dictionary** dialog, find and double-click the name of the folder that contains the actual images.
4. Click the **Name** box and type the name that you want to have appear in the **Select Dictionary** sub-menu.
5. Click **OK**, then click **OK** again.

To add the Vcom ASL dictionary, first copy the program from the Kurzweil 3000 product DVD to your computer, then follow the steps for adding a picture dictionary.

To manage picture dictionaries:

Change picture dictionary's name or location	In the Picture Dictionaries dialog, click Properties . In the Properties dialog, type a new name or find and double-click a new location.
Change the order of a picture dictionary name in the Select Dictionary submenu	In the Picture Dictionaries dialog, select the name of the dictionary you want to move, then click the Up or Down arrow button.
Select or deselect a dictionary	Click the name of the dictionary in the Select Dictionary menu.
Remove a picture dictionary	In the Picture Dictionaries dialog, select the name of the dictionary you want to remove, then click Remove . Note: This procedure does not remove the dictionary software from the system.

For information on using picture dictionaries, see "Finding a Picture for a Word" on page 12.

Setting Document Properties

Kurzweil 3000 enables you to set a number of properties for individual Kurzweil 3000 (.kes) documents. These "document level" properties apply only to the document on which they are set.

To:	Do this in the Document Properties dialog from the File menu:
Save the current toolbar set with the current Kurzweil 3000 (.kes) document	Click General , select Save Toolbars in Document , then click OK . Notes: The Save Toolbars in Document option stays selected until you deselect it. Any time you make a change to a toolbar and save the document, Kurzweil 3000 updates the saved toolbar information. This option is not available if the Customization option is disabled in the Lock Features dialog. Deselecting this option discards any stored toolbar information.
Save the current settings in the Lock Features dialog box with a document	Click General , select Save Feature Locks in Document , then click OK . Notes: When you open a document containing locked features, the Lock Features dialog is still accessible so that you can see review feature locks, but you cannot change the settings. If you are opening and closing documents with different sets of feature locks, a feature that is locked in one document remains locked even if it is not locked in a subsequently opened document. If you are on a Kurzweil 3000 Network and the Network's Broadcast Feature Locks option is active, the feature locks contained in a document override the Broadcast locks. To reapply the Broadcast locks, you must restart Kurzweil 3000.

<p>Prevent the current document from being copied/printed</p> <p>Note: These options are permanent; they cannot be reset. Save a copy of the document first.</p>	<p>Click General, select the desired prevent copy and/or print options:</p> <ul style="list-style-type: none"> • Prevent Copying Document Content - stops anyone from copying content from the document or saving the document to any format other than Kurzweil 3000 (.kes) format. • Prevent Printing Document - stops attempts to print the document. <p>Click OK.</p>
<p>Change the Sticky/Text Note formatting of the current document</p> <p>Note: This option only affects the current document, leaving the default program options intact.</p>	<p>Click Sticky Notes or Text Notes, and change the settings:</p> <ul style="list-style-type: none"> • Font Name • Style (Bold, Italic) • Size • Text Color, Background Color (Sticky Notes only) • Reading Order <p>Click OK.</p>
<p>Encrypt the document</p> <p>Note: Jot down the password. There is no way to recover the password or the contents of the file.</p>	<p>Click General, then click the File Encryption button. Specify the Password to open file. Select the Encryption type. Only RC4-based encryption types are supported and displayed. Select a Key Length (if available) to disguise your password. Click OK. Confirm Password and click OK. Click OK to close the Document Properties dialog.</p>

Keyboard Shortcuts and Function Keys

Note: For more comprehensive and most up-to-date lists of keyboard shortcuts, go to Online Help pages.

Function Keys

F1	Launch Help	F6	Fit to Text Height
F2	Read Back	F7	Zoom In 10%
F3	Read/Pause	F8	Zoom Out 10%
F4	Read Forward	F9	Start New Scan
F5	Fit to Text Width	F11	Read Faster

Viewing Shortcuts

Fit to Text Width	F5	Next Page	CTRL+E
Fit to Text Height	F6	Previous Page	CTRL+R
Zoom In 10%	F7	Go To Page	CTRL+G
Zoom Out 10%	F8	Magnify Spoken Word	CTRL+K
Zoom (My Zoom)	CTRL+M		

File Shortcuts

Open	CTRL+O	Close	CTRL+F4
Save	CTRL+S	Next Document	CTRL+TAB
Print	CTRL+P	New Text File	CTRL+N

Reading Shortcuts

Read/Pause	F3	Read Faster	F11
Read Back	F2	Read Slower	F12
Read Forward	F4		

Reference Shortcuts

Definition	CTRL+D	Syllables	CTRL+Y
Synonyms	CTRL+Q	Spell Word	CTRL+L

Notes Shortcuts

Note Options	CTRL+F3	Add Voice Note	SHIFT+F7
Add Footnote	SHIFT+F5	Bookmarks	CTRL+F12
Close Footnote	SHIFT+F6	Move to next Text or Sticky Note in image document	TAB key

Column Notes Shortcuts

Move up a cell in a column	Up Arrow	Move down a cell in a column	Down Arrow
Move to next/right cell	TAB or Right Arrow	Move to previous/left cell	SHIFT+TAB or Left Arrow

Writing and Editing Shortcuts

Undo	CTRL+Z	Select All	CTRL+A
Cut	CTRL+X	Find Text	CTRL+F
Copy	CTRL+C	Replace Text	CTRL+H
Paste	CTRL+V		

Shortcuts

Create or Change Thought to:			
Ellipse	CTRL+1	Rectangle	CTRL+2
Rounded Rectangle	CTRL+3	Diamond	CTRL+4
Create a New Linked Thought:			
To Left of Selected Thought	CTRL+Left Arrow	To Right of Selected Thought	CTRL+Right Arrow
Above Selected Thought	CTRL+Up Arrow	Below Selected Thought	CTRL+Down Arrow
Quick Takes Mode			
Turn on "Quick Takes" for a Selected Thought	CTRL+SHIFT+Q	End "Quick Takes" Mode	ESC
Link Mode and Auto Arrange Diagram			
Turn On, or Off, Link Mode	CTRL+\	Move Link Pointer when Link Mode is On	Arrow Keys
Select Parent or Child Thought when Link Mode is On	ENTER	Arrange Diagram	CTRL+7
Resize Thoughts			
Make Wider or Narrower	ALT+Right or Left Arrow	Make Taller or Shorter	ALT+Down or Up Arrow
Change Font Styles and Size			
Bold	CTRL+B	Italic	CTRL+I
Underline	CTRL+U	Increase or Decrease Font Size	CTRL+SHIFT+> or +<
Move Selector			
To the Left or Right	CTRL+SHIFT+Left or Right Arrow	Up or Down	CTRL+SHIFT+Up or Down Arrow
Select Thoughts and Notes			
Select All Thoughts	CTRL+A	Select All Thoughts at the Current Level	CTRL+SHIFT+A
Select First Main Thought	Home	Select Nearest Thought to the Left or Right	SHIFT+LEFT or RIGHT Arrow
Select Nearest Thought Up or down	SHIFT+Up or Down Arrow	Select or Deselect a Note	SPACE
Move Selected Thought:			
To Left/Right	Left/Right Arrow	Up/Down	Up/Down Arrow

Shortcuts (cont.) Set and Apply Defaults			
Set Defaults from the Selected Thought	Command +Shift+8	Apply Defaults to the Selected Thought	CTRL+8
Move Around the Diagram; Scroll:			
To Top Left Corner	CTRL+Home	To Bottom Right Corner	CTRL+End
Up One Page	Page Up	Down One Page	Page Down
Left One Page	CTRL+Page Up	Right One Page	CTRL+Page Down
View			
Zoom In 10%	CTRL++	Fit Diagram Width to Window	CTRL+W
Zoom Out 10%	CTRL+-	Show or Hide Subtopics	CTRL+H
Work with Notes			
Create, Show, or Hide a Note	CTRL+T	Start Editing a Caption in a Selected Note; End	ENTER ESCAPE

Outline Shortcuts

Add a Topic	CTRL+G	Add a Subtopic	CTRL+K
Demote Topic (like palette Right button)	TAB	Promote Topic (like Palette Left button)	SHIFT+TAB
Show or Hide Subtopics	CTRL+H	Change to Next Prefix Label Style	CTRL+1
Create, Show, or Hide a Note	CTRL+T	Select/Deselect Topic or Note	CTRL+Space
Undo	CTRL+Z	Delete selected Topic or Note	DELETE
Bold, Italic, or Underline	CTRL+B, CTRL+I, or CTRL+U	Increase/Decrease Font Size	CTRL+SHIFT+> or CTRL+SHIFT+<

Tools Shortcuts

Spell Check	SHIFT+F8	Pronunciation editor	CTRL+F7
Word Prediction	SHIFT+F11	Options	CTRL+F1

Scanning Shortcuts

Start New Scan	F9	Scan Repeatedly	CTRL+F9
Cancel Scan	SHIFT+F9		

Zone Editing Shortcuts in image documents

Open Zone Editor	CTRL+F5	Change selected zone to OCR Override	CTRL+4
Move to next zone and select it	TAB	Change selected zone to OCR Override and type text	Letter "T" key
Move to previous zone and select it	SHIFT+TAB	Delete selected zone	DELETE
Change selected zone to Primary	CTRL+1	Delete all zones	SHIFT+DELETE
Change selected zone to Secondary and put it last	CTRL+2	Open Properties dialog	Letter "P" key
Change selected zone to Graphic	CTRL+3		

Editing Underlying Text Shortcuts in image documents

Change Underlying Word when in document: CTRL+W			
Open Underlying Text Editor: CTRL+F10			
Exit Editor: ESC			
The following shortcuts are for use while in the Editor:			
Move back a word or unit	F9	Move up a line	F11
Move forward a word or unit	F10	Move down a line	F12

Miscellaneous

Show Shortcut (Right Mouse Button) menu	Menu key (left of right-handed CTRL key)	Extract selected text from another application	CTRL+SHIFT+R
Extract text from another application	CTRL+ALT+R	With Kurzweil running, start a scan from another application	CTRL+ALT+S

Kurzweil 3000 System Default Settings

General Options

Toolbars Area			
Main Toolbar:	Large	Show Status Bar:	Enabled
Study Skills Toolbar:	None	Show Ruler:	Disabled
Show Reading toolbar:	Enabled	Ruler Units:	Inches
Show Writing toolbar:	Disabled	Recent Files:	10

Speak as Typing Area			
All Characters:	Disabled	Whole Sentences:	Enabled
Whole Words:	Enabled		

Miscellaneous Area			
Speak Buttons:	Disabled	Tip of the Day on Start up:	Enabled
Speak Messages:	Disabled	Drag-Drop:	Enabled
Large Message Boxes:	Enabled	My Zoom Value:	100
Ask for User on Start up:	Enabled		

Reading Options

Speaker Area			
Language:	English	Speaker:	VW Julie

Speed Area	
Reading Speed:	145 words per minute

Read the Web Area	
No default; you must select a default Web browser.	

Extras Area			
Auto-Scroll Images:	Disabled. When enabled, scrolling is by Pages.	Read Voice Notes in place:	Disabled
Silent if Minimized:	Disabled	Read Word when Double Clicked:	Disabled
Pause at Bookmarks:	Disabled	Highlight Spoken Word:	Enabled
Pause at Empty Notes:	Enabled	Skip Reading Headers and Footers	Enabled
Read Footnotes when Opened:	Enabled		

Text Options (applies to typed/text documents)

Colors Area			
Color:	Black	Word:	Green
Background:	White	Reading Unit:	Yellow

Font Area			
Font:	Arial	Italic:	Disabled
Size:	18 points	Underline:	Disabled
Bold:	Enabled		

Highlighting Area			
Mode:	Color Background	Background:	Light Gray/Light Gray
Block Mark/Word Mask:	Colors	Word:	Green/Blue
Text:	Black/Black	Unit:	White/White

Extras Area			
Word Spacing:	0	Auto-Backup Open Text:	Enabled, set to five minutes

Image Options (applies to image documents)

Colors Area			
Reading:	Green on Yellow	Caret:	Current word marker
Selection:	Blue	Outline Colors:	Disabled
Background:	White	Caret Width:	3 pixels

Extras Area			
Default Fit:	Text Width	Fill in the Blanks:	Text Notes
Note Marker Size:	Large	Preserve Line Breaks:	Disabled

Magnifier Options (applies to text that appears in the Magnify Spoken Word window)

Text Color:	Black	Font:	Arial
Background Color:	White	Show Image in Image Files:	Disabled

Highlighters Options

Highlighting Tools Captions:	You can change the caption to suit your requirements.
Extract Setup:	All Highlight colors are enabled. All Indent values are set to 0.00. No Prefix values. Insert Blank Lines When Extracting Highlights is enabled.

Spell Check Options

Limit Spelling Suggestions:	Never
English Dialect:	American English
Check spelling as you type:	Enabled

Scanning Options

Main Area			
Brightness:	50 for most scanners	Repeated Scan Delay:	15 seconds
Save Settings:	Enabled	Page Orientation:	Auto-Rotation

OCR Area			
Engine:	FineReader	Language:	English
Change When Reading Language is Changed:	Enabled		

Extras Area			
Find Columns:	Enabled	Dynamic Thresholding:	Disabled
Show New Scans:	Enabled	Show TWAIN UI:	Disabled
Deskew:	Enabled	Confidence Threshold:	95
Despeckle:	Disabled	White on Black:	Disabled. This option is only visible with some third-party OCR engines.

Word Prediction Options

Add new words as they are typed:	Enabled	Use Phonetic spelling for word prediction lookup:	Enabled
Add new words automatically when checking spelling:	Enabled	Edit Word Prediction Dictionary Word Prediction Starter List (dictionary) size:	Large
Train on words not in spell-check dictionary (after warning):	Disabled		

Review Items Options

Listen to Your Written Work:	In list	Check Punctuation:	In list
Check Spelling:	In list	Check Word List:	In list
Verify Capitalization:	In list		

Lock Features dialog box

All features:	Enabled
Password-Protect:	Not selected

Note Options dialog box

The defaults listed in this section are all located in the **Note Options** dialog box, accessible by selecting **Note Options** from the **Note** submenu of the **Tools** menu. All defaults apply to both Sticky Notes and Text Notes unless otherwise specified.

Font Name:	Times New Roman	Text Color:	Black (Sticky Notes), Blue (Text Notes)
Font Size:	12 Points	Background Color:	Yellow (Sticky Notes only)
Bold:	Enabled	Reading Order:	After Secondary Text (Sticky Notes), In Place (Text Notes)
Italic:	Disabled	Initial Width:	Manual -2.0 inches wide (Sticky Notes), Auto (Text Notes)

Other Defaults

Option:	Default:	Set from:
Reading Mode	Continuous	Reading toolbar or the Read menu.
Reading Unit	Sentence	Reading toolbar or the Read menu
Reading Language	English	Read menu or the Reading Options pane.
Thumbnail Size	Medium	The View menu. Select the size from the Thumbnail submenu.
Line Spacing	Single	Writing toolbar or the Edit menu.
Text Alignment	Left	Writing toolbar or the Edit menu
Enable Editing	Enabled	Edit menu.
Magnify Spoken Word	Disabled	View menu.
Homophones II and Confusables II Word Lists	Enabled	Word Lists dialog box. Select Word Lists from the Tools menu.
Dictionary	American Heritage, Fourth Edition	Select from the Reference menu's Dictionary submenu.
Scanning	Black and White	Scan menu.
Usage Log Log Limit Size Save (logged data for)	Disabled Enabled 5 days	Tools menu.
Default Save Locations for User Documents		

Using Kurzweil 3000 Applets

Kurzweil 3000 for Windows includes two applets: The Kurzweil Taskbar and the Talking Calculator. Note: the Kurzweil Taskbar is not available in the USB Edition.


The Kurzweil 3000 Taskbar

The Kurzweil Taskbar, which appears as a small bar in the Windows Taskbar, provides quick access to a subset of Kurzweil 3000 features, Read, Dictionary Lookup and Spell Check, even without Kurzweil 3000 running. It automatically installs with Kurzweil 3000, with the following exceptions:

- On Vista systems, you must show the Taskbar. See “Show or hide the Kurzweil Taskbar” on page 74.
- In the Network, Web License or Remote License Edition, you must have a valid license.
- For 64-bit operating systems, you must install the **x64 KESI Taskbar Setup** file from the www.kurzweiledu.com Kurzweil 3000 Downloads page.

Drag, Drop and Click

Drag and drop (or Copy/Paste) a single word or a large selection of text from any application, including e-mail and Web, directly onto the Text box and click the desired Taskbar button.



Spell Check

When there is a misspelled word in the text, clicking the Spell Check button opens the Spell Check window, in which you can edit text, select a suggestion from the Suggestions list, Replace the misspelling, as well as drag and drop the corrected text back into the original application.

Look Up Word

Clicking the Lookup button for a word or placing multiple words in the Text box opens the **Taskbar Main** window, which consists of a Text display area, and a set of buttons for reading, looking up words, saving and viewing vocabulary, and setting options.

Text display area

Along the bottom, from left to right, are the following buttons:

- Lookup
- **Go Back/Forward** to previous/next lookup word
- Start/Stop Reading
- Options
- **View** saved vocabulary words
- **Save** lookup word in Word List
- **Close**

The screenshot shows a window titled 'Taskbar Main'. The main area is a text display area containing the text: 'There are four standard toolbars as well as a set of specialized "Sample" toolbars, which you can show, hide, apply or customize. This chapter contains exercises for showing, hiding and applying toolbars. For information about customizing toolbars, see Kurzweil 3000 online Help or the Kurzweil 3000 for Windows User's Guide.' The text is highlighted in yellow. At the bottom of the window is a toolbar with several icons: a magnifying glass, a left arrow, a right arrow, a list icon, a gear icon, a document icon, a speech bubble icon, and a close icon. A line points from the 'Text display area' label to the text area.

Additional Kurzweil Taskbar Functions

Set or change options	Click the Options button in the Kurzweil Taskbar Main window . In the Options dialog, select the desired options. Settings include: Voice, reading Speed, Dictionary, Font Size, Edit Word List, and Show Word of the Day.
Save and view Vocabulary Words	In the Kurzweil Taskbar Main window , as you look up a word, you can click the Save button to save it to a Word List. Click View to view the list.
Set up Word of the Day	Once you have saved words to the Kurzweil Taskbar Word List, you can enable Word of the Day to automatically display a different word from the list every day. Click the Options button in the Kurzweil Taskbar Main window . In the Options dialog, select Show Word of the Day .
Resize the Kurzweil Taskbar	Drag the dotted bar on the left-hand edge of the Taskbar.
Show or hide the Kurzweil Taskbar	In an empty area of the Windows Taskbar, click the right mouse button to display the Windows Taskbar Right Mouse Button menu, From the Toolbars submenu, click Kurzweil Taskbar . A check mark indicates that the Kurzweil Taskbar is showing.

Notes:

- If you do not want the Kurzweil Taskbar automatically installed, during Kurzweil 3000 installation, choose **Custom Install** and deselect **Kurzweil Taskbar**.
- Document-based locks and Network-broadcasted locks apply to the Kurzweil Taskbar. For example, if you lock Spell Check, that feature will not be available in the Taskbar.

The Kurzweil 3000 Calculator

This application provides: Scientific, Statistics, Standard and Business calculator views. Before using any calculator, review its online Help for specific instructions. By default, the Calculator provides speech.

To launch the Calculator applet, go to Windows Start, All Programs, Kurzweil Educational Systems, and select **Kurzweil 3000 Calculator**.

To display a calculator:	Press:	To display a calculator:	Press:
Scientific Calculator	F5 key	Standard Calculator	F8 key
Statistics Calculator	F6 key	Business Calculator	F9 key

Note: In the Standard Calculator, there is a History box that tracks your work.

Additional Calculator Features

Enable/Disable Speech	Click Speech checkbox.
Hear Calculator Help	Go to the Help menu and select About Talking Calculator .
Hear the current value	Press CTRL+V .
Show the list of hot keys	Press F3 .
Exit the Calculator	Go to the File menu and choose Exit .

Using Kurzweil 3000 Remotely

There are a number of ways to use Kurzweil 3000 from home or remotely; contact your Kurzweil Educational Sales Representative for more information. Types of licenses and remote products include:

- License-to-Go where licenses can be checked out/checked in and renewed from the Kurzweil 3000 Network.
- Web Licenses that can be used and renewed through the Internet.
- Kurzweil 3000 for Windows USB Edition that provides access to virtually all the features in Kurzweil 3000 Standalone product.

Working with a Network License-to-Go (Student)

If your organization has purchased and set up Kurzweil 3000 License-to-Go, follow the steps below to return licenses. Licenses are activated by a teacher or System Administrator. See “Managing Network Licenses” on page 79.

To:	Do this:
<p>Return Granted License-to-Go to the Network Engine A Granted license is valid for a specified period of time, and is transferred from the Kurzweil 3000 Network Engine to a Client computer that is connected to the Kurzweil 3000 Network.</p>	<p>Connect the computer that has the granted license to the computer that is running the Network Engine program. Start Kurzweil 3000. From the File menu, choose Check in License-to-Go.</p>
<p>Return Remote License-to-Go A Remote license is valid for a specified period of time, and is transferred to a Client computer that is not connected to the Kurzweil 3000 Network.</p>	<p>Start Kurzweil 3000. From the File menu, choose Check in License-to-Go. In the dialog that appears, click Yes to confirm that there is no Network Engine connection. In the next dialog, click Yes to confirm that you want to generate a Return Code. Write down the Return Code and give it to your System Administrator.</p>

Administration Tasks for Teachers

Setting Up the Universal Library for Sharing Documents

The Universal Library is a folder in which students and teachers can store and share documents. Note: This feature is not available in USB Edition.) The Universal Library folder may be set up on:

- A local non-networked computer that has multiple user accounts.
- A networked system, allowing users to access the library from multiple computers.

Step 1: Create the Universal Library folder	
<ol style="list-style-type: none"> 1. Insert the Kurzweil 3000 product DVD. 2. Open the Utilities folder and double-click the HostLibraryWizard icon. (If you are installing on a Kurzweil 3000 network, the Utilities folder is in the K3000Client folder.) 3. In the Universal Library Wizard screen, click Create. 4. In the Universal Library Created screen, click OK. A message appears telling you the location of the Kurzweil 3000 Universal Library folder. 5. Continue to Step 2 	
Step 2: Configure the Universal Library on each computer that is to have access to the folder	
<ol style="list-style-type: none"> 1. Start Kurzweil 3000 on the computer. 2. From the File menu, select Configure Library. 3. In the Configure Library dialog, click Change. 4. In the Browse for Folder dialog, find and select the Kurzweil 3000 Universal Library folder. 5. Click OK. 6. Go to the File menu, and check to see that the commands Open from Library and Save to Library have been added. A shortcut to the folder also appears in the Open dialog in the left Places pane. 	

Adding and Deleting Users and User Files (Standalone)

Task:	Notes:	Do the following:
Add New Users	Add at startup if User Startup option is enabled.	Double-click the Kurzweil 3000 icon . In the Welcome window, type the user's name, then click Yes to confirm
Change to a Different User	Switch users without having to quit and restart Kurzweil 3000.	From the File menu, choose Change User to open the Change User Name dialog. Type the new user name or select one from the User Name list. Click OK .
Delete User Files	The location of the files depends on the User Startup setting. See the table, "Locating User Files."	Navigate to the location of the user's files. Select the file(s) to delete. In the dialog that opens, click Yes .
Delete User Account and Associated Files	The location of the files depends on the User Startup setting.	Navigate to the location of the user's files. Delete the folder with the name of the user you want to remove. Navigate to the location of the user's preference files, select and delete them.

Locating User Files

User Documents that users create, import and work with in Kurzweil 3000 are stored in*:	
Windows Vista, Windows 7	C:\Users\ <i>user name</i> \Documents\KESI\Kurzweil 3000
Windows XP	C:\Documents and Settings\ <i>username</i> \My Documents\KESI\Kurzweil 3000
Older systems	C:\My Documents\Kurzweil Educational Systems\Kurzweil 3000\ <i>username</i>
User Preference Files that include Kurzweil 3000 settings, Word Lists, and personal dictionary files are stored in:	
Windows Vista, Windows 7	C:\Program Files\Kurzweil Educational Systems\Kurzweil 3000\Settings
Windows XP	C:\Documents and Settings\ <i>username</i> \Application Data\KESI\Kurzweil 3000
Older systems	C:\Program Files\Kurzweil Educational Systems\Kurzweil 3000\Settings
*In the Network Edition, the files are stored on the Client computer.	

Obtaining Student Usage Reports (Standalone)

You can track and monitor students' Kurzweil 3000 usage to ensure that they are using the appropriate tool for a task, or to see how long it took them to perform a task.

By default, the Usage Log is disabled. You must enable it for each user separately.

There are two different logs that you can view:

- Word Help Log - keeps track of events, such as Double-click reading, Definition Lookup, Spell word, along with the date that each event occurred:
- Complete Log - keeps track of events, such as User Login, file-related tasks, Reading, Highlighting, Word Help, along with the date and time that each event occurred.

The resulting report is a viewable, read-only RTF document.

To enable the Usage Log:

In the user's Kurzweil 3000 window, from the **Tools** menu, choose **Usage Log**.

In the **Usage** dialog, select the **Enable Logging** checkbox.

To create and view Usage Log for a user:

In the user's Kurzweil 3000 window, from the **Tools** menu, choose **Usage Log**.

In the **Usage** dialog, select either the **Word Help Log** or **Complete Log**, specify **Log Options**, then click **OK**.

Managing Network User Accounts

The following tasks are primarily based on Client computer access. Additional tasks such as deleting users, sending messages, forcing toolbar sets and broadcasting feature Locks can only be performed using an Administrator account on the same computer that is running the Kurzweil 3000 Network Engine program. See the *Kurzweil 3000 for Windows Network Installation and Administration Guide* for complete details.

Task:	Notes:	Do the following:
Log on to the Kurzweil 3000 Network	The dialog you see upon logging in depends on the Network Options selected at installation.	From the Client computer, double-click the Kurzweil 3000 icon. Enter the information the dialog requests: product type and/or user name. Click OK .
Add New Users	You can create new user accounts from either the Client computer or the Engine computer.	Double-click the Kurzweil 3000 icon. In the Log On window, type the desired user name; click Yes to confirm. Click OK .
Disable the Ability to Create New Accounts on a Client computer.		Open the Network Options dialog, and deselect Allow Clients to Create New Account .

Managing Network Licenses

The following tasks are primarily based on Kurzweil 3000 Network Client computer access, and may be performed by students/end users as well as teachers. Tasks such as granting or generating licenses, however, can only be performed using an Administrator account on the same computer that is running the Kurzweil 3000 Network Engine program. See the *Kurzweil 3000 for Windows Network Installation and Administration Guide* for complete details

Task:	Notes:	Do this:
<p>Return Granted License-to-Go to the Network Engine</p>	<p>Granted Licenses-to-Go are valid for a specified period of time, and are transferred from the Kurzweil 3000 Network Engine to a Client computer that is connected to the Kurzweil 3000 Network. Granted Licenses-to-Go are ideal for students with laptops. This procedure returns a license from the Client computer to the Network Engine computer.</p>	<p>Connect the computer that has the granted license to the computer that is running the Network Engine program. Start Kurzweil 3000. From the File menu, choose Check in License-to-Go.</p>
<p>Return Remote License-to-Go</p>	<p>Remote Licenses-to-Go are valid for a specified period of time, and are transferred to a Client computer that is not connected to the Kurzweil 3000 Network. Remote Licenses-to-Go are ideal for students who use Kurzweil 3000 on a non-portable home computer that is not connected to the Kurzweil 3000 Network. This procedure returns a license remotely by using a return code.</p>	<p>Start Kurzweil 3000. From the File menu, choose Check in License-to-Go. In the dialog that appears, click Yes to confirm that there is no Network Engine connection. In the next dialog, click Yes to confirm that you want to generate a Return Code. Jot down the Return Code and give it to your System Administrator.</p>
<p>Ensuring License Availability</p>	<p>This procedure displays information about checked-out licenses.</p>	<p>From the Licenses menu, select License-to-Go Status.</p>
<p>Checking License Overruns</p>	<p>From time to time, you should check to see if and when your organization may need to purchase additional licenses.</p>	<p>From the Licenses menu, select License Overruns.</p>

Obtaining Student Usage Reports (Network)

Usage Logs enable you to track and monitor students' performance, progress and usage of Kurzweil 3000 tools.

To:	Do the following:
Open the Usage Dialog	In the user's Kurzweil 3000 window, open the Tools menu and select Usage .
Enable Usage Log for a User	In the Usage dialog, select Enable Logging , then click OK .
View Usage Log Word Help Log tracks: <ul style="list-style-type: none">• Reading single word• Looking up words• Use of Spell Word Complete Log tracks Word Help Log events plus: <ul style="list-style-type: none">• User log in/out• File-related tasks• Start/Stop Reading• Highlighting• Vocabulary- and Word Prediction-related tasks	In the Usage dialog, select Word Help Log or Complete Log , then click OK .

Additional Reports from the Kurzweil 3000 Network Activity Database

The Network Activity Database, available only with the Kurzweil 3000 Network Edition, enables you to generate reports and create form letters from the data log. You can only access the database features by using the **Kurzweil 3000 Administrator** program, which is on the Kurzweil 3000 Network Engine computer. If you do not have access to the Kurzweil 3000 Administrator, you must work with your organization's System Administrator or IT specialist to create the reports.

For complete details about the Activity Database, enabling Activity Logging, and using the Kurzweil 3000 Administrator, see the *Kurzweil 3000 for Windows Network Installation and Administration Guide*.

Index

A

adding

- a picture to a document 25

- Bookmarks 16

- Brainstorm Notes 28

- file hyperlink 23

- ideas in Outline 30

- Outline Notes 32

- same document hyperlink 23

- thoughts in Brainstorm 27

- Web page hyperlink 23

- administration tasks for teachers 76

answering

- Bubble Notes questions 15

- applying toolbar set 43

- Arrange Thoughts in Brainstorm 27

audio file creation

- about 41

audio files

- monitoring progress 41

B

Bookmarks

- navigating in documents 8

- pause at 17

- working with 16

Brainstorm

- about 27

- adding Notes 28

- adding thoughts 27

Arrange Thoughts 27

- creating 27

- creating a draft from 29

- creating from Blank 27

- creating from Template 27

- creating new 24

- deleting links 28

- deleting thoughts and links 28

- editing thoughts 28

- Link Thoughts 27

- moving thoughts 28

- palette 27

- Quick Takes 27

- redirecting links 28

- resizing thoughts 28

- to Draft view 29

- to Outline view 29

- to Split Screen view 29

- window 27

Bubble Notes

- answering questions in 15

- as instructional and testing notes

 - 57

- creating 15

- editing 15

C

Calculator 74

captions

- for Highlighters 17

- Change User 41
- checking spelling 35
- Circle tools
 - using 13
- circles
 - erase 13
 - finding 13
 - printing circled text 17
- Classic Literature
 - searching in 42
- Classic toolbar 3
- closing
 - Column Notes 19
 - Notes 16
- Column Notes
 - about 18
 - closing 19
 - copying 20
 - covering column 20
 - editing 20
 - extract to Outline 20, 22
 - joining 20
 - moving around in 20
 - opening 18
 - resizing 20
 - saving or replacing 19
 - showing/hiding column 20
 - using one file across multiple documents 22
 - zoom, edit headers, insert/delete rows in 20
- creating
 - audio files 41
 - Brainstorm from Blank 27
 - Brainstorm from Template 27
 - Brainstorm graphic organizer 27
 - Bubble Notes 15

- Draft 33
- Draft Blank 33
- draft from Brainstorm 29
- Draft from Outline 32
- Draft from Template 33
- new Brainstorm 24
- new document from Template 24
- new Outline 24
- new text/Draft document 24
- Notes 14
- Outline 30
- Outline from Blank 30
- Outline from Template 30

customizing

- Kurzweil 3000 43
- Right Mouse Button menu 44
- tests 58
- toolbars 44

D

- DAISY .OPF file 6
- default settings 69
- Definition, dictionary lookup 11
- deleting
 - Bookmarks 16
 - Column Notes row 20
 - links in Brainstorm 28
 - Notes 15
 - thoughts and links in Brainstorm 28
- DOC file 6
- DOC file format 40
- document hyperlink, adding 23
- Document Preparation Toolbar 50
- documents
 - about 6
 - formats 40
 - locating 41

- navigating in 8
- opening and viewing 6
- preparing 49
- preparing by cleaning image documents 56
- preparing using Edit Underlying Text 52
- preparing using Header/Footer Editor 55
- preparing using Override OCR 51
- preparing using Pronunciations editor 54
- preparing using Zone Editor 50
- properties, setting 63
- saving and printing 40
- sending through e-mail 41
- specifying First Page and Front Matter 56
- specifying languages 56

DOCX file6

DOCX file format 40

Draft

- about 33
- creating 33
- creating Blank 33
- creating from Outline 32
- creating from Template 33
- creating new document from Template 24
- creating new text document 24
- from Brainstorm or Outline 33
- to Brainstorm view 33
- to Outline view 33
- to Review 33

E

Edit Underlying Text 52

editing

- Brainstorm thoughts 28
- Bubble Notes 15
- Column Notes 20
- hyperlink 23
- Notes 15
- options on the Edit menu 26
- Outline text and topics 31
- pronunciations 54

Editing tools

- about 24

electronic content

- searching for and downloading 42

e-mail

- sending documents through 41

Export

- files 41

Extract

- Highlights to Column Notes Notes 41
- Notes and Highlights 16
- to Outline from Column Notes 20, 22

F

file formats

- .DOC 6, 40
- .DOCX 6, 40
- .KES 6, 40
- .OPF 6, 40
- .PDF 6, 40
- .RTF 6, 40
- .TIF, .BMP, .JPG 6
- .TXT 6, 40
- DAISY .OPF 40

- list of supported 40
- file hyperlink, adding 23
- File menu 41
- files
 - adding/deleting user files 76
 - exporting 41
 - importing 41
 - joining 41
 - locating 77
 - Open with Editor 41
 - options 41
 - Properties 41
 - recent 41
 - sharing through Universal Library 43

- finding
 - Notes 15
- First Page 56
- Footnotes
 - reading automatically 17
- Front Matter 56
- function keys 65

G

- General Options 69
- go to
 - Bookmarks 16

H

- Header/Footer Editor 55
- hear
 - a word spelled out letter by letter 11
 - human pronunciation for a word 11
 - Notes 16
 - syllables for a word 11
- Help 5
- hiding

- Column Notes column 20
- Notes 17
- toolbars 4
- Highlighters
 - change captions for 17
 - using 13
- Highlighters Options 70
- highlighting
 - dual 44
- highlights
 - erase 13
 - extracting 16
 - extract to Column Notes 21
 - find 13
 - print highlighted text 17
- How To videos 5
- human pronunciation 11
- Hyperlinks
 - about 23
 - Add/Edit dialog, opening 23
 - editing 23
 - file link, adding 23
 - same document link, adding 23
 - saving document in .KES 23
 - Web page link, adding 23

I

- image files
 - .TIF, .BMP, .JPG 6
- Image Options 70
- image text
 - dragging and dropping into text document 25
- Importing
 - files 41
- inserting
 - Column Notes row 20

J

joining

- Column Notes 20
- files 41

K

KES file format 40

keyboard access 4

- navigating in documents 8

keyboard shortcuts 65

Kurzweil 3000

- starting and stopping 2
- window 2

Kurzweil 3000 Calculator 74

Kurzweil 3000 KES file 6

Kurzweil 3000 remote 75

Kurzweil 3000 Taskbar 73

L

Language

- Reading 10

language

- learning, setting up Kurzweil 3000 for 61
- multiple languages in a document 25

License-to-Go 75

Link Thoughts in Brainstorm 27

locating

- files 77

Lock Features 72

look up

- a selected word 11
- definition of a word 11
- information from online encyclopedias 11
- picture for a word 11, 12

synonym for a word 11

word I type 11

M

Magnifier Options 70

Magnify Spoken Word 10

Main Menu bar 2

Main toolbar 2

Math notation, reading 12

MathML support 12

menu bar 2

menus

- about 4
- keyboard access 4

moving

- around in Column Notes 20
- Notes 14
- thoughts in Brainstorm 28

navigating in documents

- about 8
- First, Last, Next Previous Page 8
- keyboard access 8
- Page button 8
- Thumbnail button 8
- using Bookmarks 8

network licenses 79

Network License-to-Go 75

network user accounts

- managing 78

NIMAS .OPF file 6

Note Options 72

Note Snippets

- about 22

Notes

- Brainstorm 28
- Bubble Notes 57
- Column Notes 18

- creating 14
- deleting 15
- editng 15
- extracting 41
- finding 15
- hiding 17
- moving 14
- opening, hearing, closing 16
- Outline 32
- removing multiple Notes 15
- resizing 14
- showing 17
- switching between Notes 15

O

- Office .DOCX file 6
- Open files with Editor 41
- opening
 - Bookmarks 16
 - Column Notes 18
 - Column Notes in Note Snippets 22
 - documents 6
 - documents using KESI Virtual Printer 7
 - Notes 16
- OPF DAISY file 6
- OPF file format 40
- OPF NIMAS file 6
- options
 - General 69
 - Highlighters 70
 - Image 70
 - Kurzweil 3000 45
 - Magnifier 70
 - Note 72
 - Reading 9, 69
 - Review 71

- scanning 46, 47
- Spell Check 71
- Text 70
- Word Prediction 71
- organizing
 - Brainstorm thoughts 27
 - Outline ideas 30
- Outline
 - about 30
 - adding ideas 30
 - adding Notes 32
 - creating 30
 - creating a Draft from 32
 - creating from Blank 30
 - creating from Template 30
 - creating new 24
 - editing text and topicsin 31
 - extract from Column Notes 20, 22
 - organizing ideas 30
 - palette 30
 - showing/hiding sub-topics 31
 - to Brainstorm view 32
 - to Draft view 32
 - to Review 32
 - to Split Screen view 32
 - window 30
- Override OCR 51

P

- Page button 8
- Page navigating in documents 9
- pause
 - at Bookmark 17
- picture
 - adding to a document 25
- picture dictionaries
 - setting up 62

Picture lookup 11, 12
Portable Document Format .PDF file 6
preparing
 documents 49
 tests 58
printing
 circled text 17
 Column Notes 20
 highlighted text 17
Pronounce
 a word using a human voice 11
pronunciation, human 11
Pronunciations editor 54
properties
 documents, setting 63
 Sticky Notes 17
 Text Notes 17

Q
Quick Takes 27

R
Read the Web
 about 12
 reading Math and Science notation
 12
 reading tools in 12
 reference tools in 12
Reading
 Highlight Spoken Word 10
 Language 10
 Magnify Spoken Word 10
 Mode 9
 page 9
 Speaker 10
 Speed 9
 Thumbnails 9
 toolbar 2
 Unit 9
 Voice 9
 Zoom
 Zoom 9
reading 9
 changing dual highlighting color 44
 Footnotes automatically 17
 Math and Science notation 12
 Web pages 12
Reading Options 9, 69
Reading toolbar 9
Recent Files 41
redirecting links in Brainstorm 28
reference tools
 Definition. dictionary lookup 11
 Picture lookup 11
 Pronounce 11
 Spell 11
 Syllables 11
 Synonym lookup 11
 while using Read the Web 12
remote Kurzweil 3000 75
removing multiple Notes 15
replacing
 Column Notes 19
resizing
 Column Notes 20
 Notes 14
 thoughts in Brainstorm 28
Review 32, 33
 modifying checklist 34
 using checklist 34
Review Options 71
Rich Text Format RTF file 6
Right Mouse Button menu
 customizing 44

RTF 6
RTF file format 40

S

saving
 Column Notes 19
 documents 40
 Hyperlinks documents in .KES 23

Scan menu 46

scanning
 basics 46
 high speed 46
 options 46, 47

Scientific notation, reading 12

searching
 Bookmarks 16

sending
 documents through e-mail 41

setting
 document properties 63

setting up
 Kurzweil 3000 for language learning 61
 picture dictionaries 62
 Universal Library 76
 Word Prediction 59
 Word Lists 60

settings
 system defaults 69

sharing
 files through Universal Library 43

shortcuts 65

showing
 and hiding Outline sub-topics 31
 Column Notes column 20
 Notes 17
 toolbars 4, 43

Writing toolbar 24

sorting
 Bookmarks 16

Speaker
 Reading 10

Spell Check
 about 35
 as you type 35
 document 35
 private spelling dictionary 35

Spell Check Options 71

Spell, hear a word spelled out letter by letter 11

spelling dictionary 35

Split Screen view 29, 32

Start Writing 24

starting
 Kurzweil 3000 2

Sticky Notes
 properties 17

stopping
 Kurzweil 3000 2

Student Usage Reports
 Network 80
 Standalone 77

Study Skills toolbar 2, 13

Study Skills tools
 Bookmarks 16
 Bubble Notes 15
 Circle tools 13
 color Highlighters 13
 Column Notes 18
 Footnotes 14
 Notes 14, 16
 Sticky and Text Notes 14
 Voice Notes 14

switching between Notes 15

Syllables, hear for a word 11
Synonym lookup 11

T

Taskbar 73
Template
 Brainstorm 27
 creating new document from 24
 Draft 33
 Outline 30
Test Taking features 39
tests
 customizing 58
 preparing 58
text editor 25
Text Notes
 properties 17
Text Options 70
text translation 11
Text TXT file 6
Thumbnail button 8
Thumbnails
 navigating in documents 9
toolbars
 about 3
 apply set 4
 applying toolbar set 43
 Document Preparation 50
 default, Classic 3
 Main 2
 Reading 2, 9
 sets 4
 showing and hiding 4, 43
 Study Skills 2, 13
 Writing 2, 24
Translate text 11
TXT file 6

TXT file format 40

U

Universal Library
 setting up 76
 using 43
Usage Reports
 Network 80
 Standalone 77
user accounts
 network 78

V

viewing
 documents 6
Virtual Printer 7

W

Web
 reading 12
Web page hyperlink, adding 23
window, Kurzweil 3000 2
Word .DOC file 6
Word Lists
 Floating 37
 setting up 60
Word Prediction 36
 setting up 59
Word Prediction Options 71
Writing toolbar 2
writing
 adding a picture 25
 Brainstorm 27
 Brainstorm Template 27
 create new Brainstorm 24
 create new document from
 Template 24

- create new Outline 24
- create new text/Draft document 24
- Draft 33
- Draft Template 33
- Drafts 33
- dragging and dropping in text from
 - image documents 25
- Floating Word Lists 37
- options 26
- Outline 30
- Outline Template 30
- planning using Brainstorm 27
- planning using Outline 30
- Spell Check 35
- Start Writing 24
- starting points 24
- using text editor 25
- Word Lists, 36
- Word Prediction 36
- Writing tools
 - about 24

Z

- Zone Editor 50
- zoom
 - Column Notes 20